VAX-11/780 Installation Manual

Preliminary

Prepared by Educational Services of Digital Equipment Corporation

Copyright © 1983 by Digital Equipment Corporation All Rights Reserved

The information in this document is subject to change without notice and should not be construed as a commitment by Digital Equipment Corporation. Digital Equipment Corporation assumes no responsibility for any errors that may appear in this document.

Printed in U.S.A.

The following are trademarks of Digital Equipment Corporation:

| digital TM | DECtape | Rainbow |
|-----------------------|--------------|----------------|
| DATATRIEVE | DECUS | RSTS |
| DEC | DECwriter | RSX |
| DECmate | DIBOL | UNIBUS |
| DECnet | MASSBUS | VAX |
| DECset | PDP | VMS |
| DECsystem-10 | P/OS | VT |
| DECSYSTEM-20 | Professional | Work Processor |

CONTENTS

| | Pag | је |
|--|--|----------------------------------|
| PREFACE | | |
| PART I | SYSTEM INSTALLATION | |
| CHAPTER 1 | STANDARD SYSTEM INSTALLATION | |
| 1.1 | UNPACKING AND INSPECTION | |
| CHAPTER 2 | CHECKOUT AND ACCEPTANCE PROCEDURE | |
| 2.1 2.2 2.2.1 2.2.2 2.2.3 | SYSTEM INITIAL TURN-ON PROCEDURE | -2 -3 -4 |
| PART II | OPTIONS INSTALLATION | |
| CHAPTER 3 | UNPACKING AND INSPECTION OPTIONS | |
| 3.1 3.2 3.3 3.4 | GENERAL | -1 -1 |
| CHAPTER 4 | CPU OPTIONS | |
| 4.1 4.1.1 4.1.2 4.2 4.2.1 4.2.2 4.3 4.3.1 4.3.2 CHAPTER 5 | FP780-AA/BB FLOATING POINT ACCELERATOR 4- FP780-AA/AB Installation 4- FP780-AA/AB Diagnostics 4- | -1 -1 -2 -2 -2 |
| 5.1 | GENERAL 5 | -1 |
| 5.2 5.2.1 5.2.2 5.3 5.4 5.5 5.5.1 5.5.2 5.5.3 | DW780 POWER SUPPLY INSTALLATION | -1 -1 -1 -2 -2 -2 |
| 5.6 | DW780 JUMPER PLUGS 5 | -2 |

| 5.7 5.8 5.9 | DW780 DECAL |
|---|--|
| CHAPTER 6 | DR780 INSTALLATION |
| 6.1 6.2 6.3 6.4 6.5 6.6 6.7 CHAPTER 7 | GENERAL |
| 7.1 7.2 7.3 7.3.1 7.4 7.5 7.5.1 7.5.2 7.5.3 7.6 7.7 | GENERAL |
| CHAPTER 8 | MOS MEMORY ASSEMBLY MS780-C/D, MS780-EC/ED |
| 8.1 8.1.1 8.1.2 8.1.3 8.1.4 8.1.5 8.1.6 8.1.7 8.1.8 8.2 8.2.1 | MS780-C/D |
| CHAPTER 9 | CI780 COMPUTER INTERCONNECT ADAPTER |
| 9.1 9.2 9.2.1 9.2.2 9.2.2.1 9.2.2.2 9.2.3 | GENERAL INSTALLATION 9-1 System Shut-Down 9-1 CI780 CPU Cabinet Installation 9-2 Power Supply Installation (CPU Cabinet) 9-2 Backplane Assembly Installation (CPU Cabinet) 9-2 CI780 SBI Expansion Cabinet Installation 9-5 System Shut-Down 9-5 |

| 9.2.3.2 9.2.3.3 9.2.4 | Power Supply Installation (In H9652) | 9-5 |
|--|---|-----------------------------------|
| 9.2.5 9.2.6 9.2.7 | Cable Interconnections | 9-7 |
| 9.2.7.1 9.2.7.2 9.3 | Backplane Jumper Configuration Check Link Module Switches Configuration | 9-22 9-22 9-24 |
| 9.3.1 9.3.1.1 9.3.2 | CI78Ø Check-Out Procedure (Stand-Alone) Run UETP | 9-24 |
| 9.3.2.1 9.3.2.2 9.3.2.3 | and the CI Cluster | 9-26 9-28 |
| Fig No. | Title | Page |
| 1-1 1-2 | End Panel and Expander Panel Usage in FCC-Verified Systems | . 1-2 |
| 1-3 | End Panel and Expander Panel Usage in Partial FCC-Verified Systems | 1-3 |
| 1-4 | Power Plugs and Receptacles | 1-18 |
| 2-1 2-2 | Circuit Breaker Location | |
| 4-1 4-2 4-3 4-4 4-5 | System Turn-Off Procedure | 4-5 4-10 4-11 |
| 5-1 5-2 5-3 5-4 5-5 5-6 5-7 5-8 | Power Supply Utilization Power Supply Slidelock Details DW780 Installation Details Option Power Supply Cabling H7100 Primary Power Cabling H7100 Primary Power Cable Routing Ribbon Cable Interconnections DW780 Jumper Plugs | 5-6 5-7 5-8 5-11 5-12 |
| 6-1 6-2 6-3 | DR780 Backplane Details | . 6-6 |
| 7-1 7-2 | RH780 Installation Details Transfer Request Arbitration, Interrupt Level Details | |

| 8-1 8-2 | MS780-C/D Installation Details | 8-4 |
|------------|---|-------|
| | Arbitration Level Details | 8-5 |
| 8-3 | MS780-E Installation Procedure | |
| 9-1 | Option Mounting Slots Location Diagram | 9-3 |
| 9-2 | Power Supply Slide Lock Assembly | |
| 9-3 | Expansion Cabinet Option Mounting Slots | 9-6 |
| 9-4 | 8698/869D Power Controllers Rear View | 9-8 |
| 9-5 | H7100 Power Supply Front View | 9-9 |
| 9-6 | H7100 Power Supply Rear View | 9-10 |
| 9-7 | CI780 Power Connection Details | |
| 9-8 | CI780 Backplane Connectors | 9-13 |
| 9-9 | CPU Cabinet Assembly Connection Details | 9-15 |
| 9-10 | Expansion Cabinet Cable Assembly | 0.76 |
| 9-11 | Connection Details | 9-16 |
| 3-11 | CI780 Backplane Cable Assembly | 0 17 |
| 9-12 | Connection Details | 9-1/ |
| 9-12 | CI780 Backplane Jumpers | 3-18 |
| 3-13 | Link Module Switch Details | 9-23 |
| Table No. | Title | Page |
| P-1 | Related Documentation | . vii |
| 1-1 | AC Power Requirements | 1-17 |
| 2-1 | Basic VAX-11/780 Diskette Directory | . 2-2 |
| 8-1 | MS780-F Memory Assemblies Mbyte Sizes | . 8-3 |

PREFACE

Table P-1 lists related documentation.

Table P-1 Related Documentation

| Title | Document Number |
|--|-----------------|
| Diagnostic System Technical Description | EK-DS780-TD |
| DR780 General Purpose Interface Technical Description | EK-DR78Ø-TD |
| DR780 General Purpose Interface User's Guide | EK-DS780-UG |
| DW780 UNIBUS Adapter Technical Description | EK-DW780-UG |
| FP780 Floating-Point Accelerator Technical Description | EK-FP780-TD |
| KA780 CPU Technical Description | EK-KA780-TD |
| KC780 Console Interface Technical Description | EK-KC780-TD |
| MA780 Multiport Memory Technical Description | EK-MA780-TD |
| MS780 Memory System Technical Description | EK-MS780-TD |
| MS780-E Memory Subsystem Technical descripton | EK-MS78ØE-TD |
| Power System Technical Description | EK-PS780-TD |
| RH780 MASSBUS Adapter Technical Description | EK-RH780-TD |
| TB/Cache/SBI Control Technical Description | EK-MM780-TD |
| VAX-11/780 Diagnostic System User's Guide | EK-DS780-UG |

Digital personnel may order hardcopy documents from:

Digital Equipment Corporation
444 Whitney Street
Northboro, MA Ø1532
Attention: Publishing and Circulation Services (NRØ3/W3)
Order Processing Section

Customers may order hardcopy documents from:

Digital Equipment Corporation Accessories and Supplies Group Cotton Road Nashua, New Hampshire 03060

For information call: 1-800-257-1710

Information concerning microfiche libraries may be obtained from:


Digital Equipment Corporation Micropublishing Group (BUO/E46) 12 Crosby Drive Bedford, MA Ø1730

PART I

SYSTEM INSTALLATION

WARNING

THIS EQUIPMENT GENERATES, USES, AND CAN RADIATE RADIO FREQUENCY ENERGY AND IF NOT INSTALLED AND USED IN ACCORDANCE WITH THE INSTRUCTION MANUAL, MAY CAUSE INTERFERENCE TO RADIO COMMUNICATIONS. IT HAS BEEN TESTED AND FOUND TO COMPLY WITH THE LIMITS FOR A CLASS A COMPUTING DEVICE PURSUANT TO SUBPART J OR PART 15 OF FCC RULES, WHICH ARE DESIGNED TO REASONABLE PROTECTION AGAINST PROVIDE SUCH INTERFERENCE WHEN OPERATED IN A COMMERCIAL ENVIRONMENT. OPERATION OF THIS EQUIPMENT IN A RESIDENTIAL AREA MAY CAUSE INTERFERENCE IN WHICH CASE THE USER AT HIS/HER OWN EXPENSE MAY BE REQUIRED TO TAKE MEASURES TO CORRECT THE INTERFERENCE.



CHAPTER 1 STANDARD SYSTEM INSTALLATION

1.1 UNPACKING AND INSPECTION

WARNING

Equipment deskidding is a two-person procedure. Exercise extreme care to prevent the cabinet from rolling uncontrolled down the ramps or off either side of the pallet when releasing the leveling feet. All leveling feet must be fully retracted before deskidding.

- 1. Deskid the equipment per the instructions on the boxes.
- 2. Remove the shipping/accessory list in the "OPEN ME FIRST" box and inventory the contents of all boxes against the shipping list.
- 3. Notify the branch manager or supervisor of any missing or incorrect items.

NOTE

Advise the customer to contact the carrier about any missing items.

- 4. Inform the branch service manager of the DIGITAL Traffic and Shipping Department if the carrier does not have the missing items.
- 5. Unpack the equipment per the attached instructions.

1.2 INSTALLATION

NOTE


End panel and expander panel part numbers MUST be checked per Figures 1-1 and 1-2 PRIOR to installation to ensure that correct hardware will be used.

Install the equipment per the System Installation Procedure, Figure 1-3.

A. END AND EXPANDER PANEL ARRANGEMENT AS SHIPPED WITH FCC-VERIFIED OPTIONS

NOTES

- 1. CPU CABINETS COME WITH TWO END PANELS
- 2. EXPANDER CABINETS COME WITH ONE EXPANDER PANEL



B. END AND EXPANDER PANEL ARRANGEMENT OF AN INSTALLED SYSTEM COMPRISED OF ALL FCC-VERIFIED CABINET OPTIONS





Figure 1-1 End Panel and Expander Panel Usage in FCC-Verified Systems

Α. END PANEL AND **EXPANDER** CONFIGURATION OF SYSTEM COMPRISED OF NON-FCC VERIFIED CPU AND SBI CABINETS WITH AN FCC UNIBUS CABINET ADDED TO RIGHT SIDE

NOTE

THIS CABINET CONFIGURATION REQUIRES ADDITION OF FCC-VERIFIED **END** PANEL TO THE RIGHT SIDE OF THE UNIBUS CABINET. NOTE THE OLD END WHICH WAS ON THE RIGHT SIDE OF THE SBI CABINET MUST BE DISCARDED.



B. END PANEL AND EXPANDER PANEL CONFIGURATION OF A SYSTEM COMPRISED OF NON-FCC CPU AND UNIBUS CABINETS WITH AN FCC SBI CABINET IN THE MIDDLE

NOTE

THIS CONFIGURATION REOUIRES ADDITION OF AN FCC **EXPANDER** PANEL FOR THE RIGHT SIDE OF THE UNIBUS CABINET. THE OLD EXPANDER KIT WHICH WAS BETWEEN THE CPU AND UNIBUS CABINETS MUST BE DISCARDED.





Figure 1-2 End Panel and Expander Panel Usage in Partial

FCC-Verified Systems

ARRANGE THE EQUIPMENT WITH THE CPU CABINET ON THE LEFT, THE SBI EXPANDER CABINET (IF APPLICABLE) IN THE MIDDLE, AND THE UNIBUS CABINET ON THE RIGHT



(2) UNLOCK ALL CABINET LOCKS

NOTE
KEYLOCK REQUIRES ONLY A QUARTER TURN
TO BE LOCKED/UNLOCKED.

THE KEY CAN BE REMOVED AFTER THE DOOR HAS BEEN COMPLETELY CLOSED.





Figure 1-3 System Installation Procedure (Sheet 1 of 13)

UNLATCH THE UNIBUS SBI EXPANDER CABINET, IF PRESENT, AND THE CPU CABINET DOORS BY PUSHING AT THE TOP OF THE HANDLES AND THEN LIFTING AND TURNING THE HANDLES UNTIL THE DOORS CAN BE OPENED



- 4 UNHINGE AND REMOVE ALL FOUR CPU CABINET DOORS, THE FRONT AND REAR SBI EXPANDER CABINET DOORS, AND THE UNIBUS CABINET FRONT DOOR
- 5 UNLATCH THE UNIBUS CABINET BACK COVER PANEL AND THEN LIFT IT UP AND AWAY FROM THE CABINET





Figure 1-3 System Installation Procedure (Sheet 2 of 13)


6 REMOVE 2 SCREWS FROM UNDERNEATH
THE UNIBUS CABINET BACK TOP
HORIZONTAL CROSSMEMBER AND THEN
LIFT AND REMOVE THE TOP COVER



- 7 REMOVE 2 SCREWS FROM UNDERNEATH THE SBI EXPANDER CABINET BACK TOP HORIZONTAL CROSSMEMBER AND THEN LIFT AND REMOVE THE TOP COVER
- 8 REMOVE 2 SCREWS FROM UNDERNEATH THE CPU CABINET BACK TOP HORIZONTAL CROSSMEMBER AND THEN LIFT AND REMOVE THE TOP COVER

Figure 1-3 System Installation Procedure (Sheet 3 of 13)

9 REMOVE 12 1/4-20 NUTS FROM THE CPU CABINET RIGHT FRONT AND BACK VERTICAL RAILS AND THEN REMOVE THE RIGHT END PANEL



REMOVE 12 1/4-20 BOLTS AND NUTS FROM THE SBI EXPANDER CABINET LEFT FRONT AND BACK VERTICAL RAILS AND THEN REMOVE THE JOINER PANEL





Figure 1-3 System Installation Procedure (Sheet 4 of 13)

LOOSELY ATACH THE JOINER PANEL REMOVED FROM THE SBI EXPANDER CABINET TO THE RIGHT END OF THE CPU CABINET WITH TWO 1/4-20 BOLTS INSERTED FROM THE CPU CABINET SIDE OF THE **JOINER** PANEL

NOTE

DO NOT USE NUTS AT THIS TIME TO ATTACH THE JOINER PANEL TO THE CPU CABINET



12 POSITION THE SBI EXPANDER CABINET AGAINST THE CPU CABINET

NOTE

ADJUST THE LEVELER FEET ON BOTH CABINETS TO OBTAIN ALIGNMENT OF INTERCABINET SCREW HOLES




Figure 1-3 System Installation Procedure (Sheet 5 of 13)

13 INSTALL TEN ADDITIONAL 1/4-20 BOLTS IN THE EMPTY INTERCABINET HOLES AND THEN INSTALL 12 FINGER-TIGHTENED-ONLY 1/4-20 NUTS.

NOTE

AFTER ALL SECURING HARDWARE HAS BEEN INSTALLED AND ALIGNED, TIGHTEN ALL NUTS WITH A RATCHET WRENCH

- REMOVE 12 1/4-20 BOLTS AND 12 NUTS FROM THE UNIBUS CABINET LEFT FRONT AND BACK VERTICAL CROSSMEMBERS AND THEN REMOVE THE JOINER PANEL
- LOOSELY ATTACH THE JOINER PANEL REMOVED FROM THE UNIBUS CABINET TO THE OPEN END OF THE SBI EXPANDER CABINET WITH TWO 1/4-20 BOLTS INSERTED FROM THE SBI EXPANDER CABINET SIDE OF THE JOINER PANEL

NOTE

DO NOT USE NUTS AT THIS TIME TO ATTACH THE JOINER PANEL TO THE SBI EXPANDER CABINET

(16) POSITION THE UNIBUS CABINET AGAINST THE SBI EXPANDER CABINET (IF PRESENT)

NOTE

ADJUST THE LEVELER FEET ON BOTH CABINETS TO OBTAIN ALIGNMENT OF THE INTERCABINET BOLT HOLES


17 INSTALL TEN ADDITIONAL 1/4-20 BOLTS IN THE EMPTY INTERCABINET HOLES AND THEN SECURE THEM WITH 12 FINGER-TIGHT-ONLY 1/4-20 NUTS

NOTE

AFTER ALL SECURING HARDWARE HAS BEEN INSTALLED AND ALIGNED TIGHTEN NUTS WITH A RATCHET WRENCH

Figure 1-3 System Installation Procedure (Sheet 6 of 13)

18 INSTALL THE REMOVED CPU CABINET RIGHT END PANEL ON THE OPEN SIDE OF THE UNIBUS CABINET AND SECURE IT WITH 12 1/4-20 NUTS



- 19 REINSTALL THE CPU CABINET TOP COVER AND SECURE IT WITH TWO 10-32 SCREWS
- REINSTALL THE UNIBUS CABINET TOP COVER AND SECURE IT WITH TWO
- REINSTALL THE SBI EXPANDER CABINET TOP COVER AND SECURE IT WITH TWO 10-32 SCREWS

Figure 1-3 System Installation Procedure (Sheet 7 of 13)





Figure 1-3 System Installation Procedure (Sheet 8 of 13)

23 INSTALL THE THREE UNIBUS CABLES AND CONNECT P2, P1, AND P3 OF THE THREE UNIBUS CABLES FROM THE BAll-K BOX IN THE UNIBUS EXPANDER CABINET TO JACKS J3, J2, AND J1, RESPECTIVELY, ON THE CPU CABINET SIDE I/O BULKHEAD PANEL

NOTE

IF AN SBI EXPANDER CABINET IS PRESENT, ROUTE THE THREE UNIBUS RIBBON CABLES THROUGH THE BOTTOM OF THE SBI CABINET AND CONNECT THEM AS DESCRIBED ABOVE.




CONNECT THE DIGITAL POWER CONTROL BUS CABLE (SHIPPED IN THE BOTTOM OF THE UNIBUS CABINET) BETWEEN J8 ON THE 877 POWER CONTROLLER IN THE UNIBUS CABINET TO J8 ON THE CPU CABINET SIDE I/O BULKHEAD PANEL

IF AN SBI CABINET IS PRESENT CONNECT THE DIGITAL POWER CONTROL BUS CABLE (SHIPPED IN THE BOTTOM OF THE SBI CABINET) FROM J4 OF THE 869 POWER CONTROLLER IN THE SBI CABINET TO J8 OF THE CPU CABINET SIDE I/O BULKHEAD PANEL. NEXT, CONNECT THE POWER CONTROL BUS IN THE UNIBUS EXPANDER CABINET FROM J8 OF THE 877 POWER CONTROLLER IN THE UNIBUS CABINET TO J8 OF THE SBI CABINET SIDE I/O BULKHEAD PANEL

Figure 1-3 System Installation Procedure (Sheet 9 of 13)

25 REMOVE THE FLOPPY DRIVE ASSEMBLY SHIPPING LOCK



- 26 REFER TO PART II, OPTIONS INSTALLATION, FOR ADDITIONAL INSTALLATION PROCEDURES
- WHEN OPTION INSTALLATION IS COMPLETE, CHECK ALL INTERNAL AND EXTERNAL CABLING AND REINSTALL CABINET DOORS, SECURE THE LOCKS
- (28) REINSTALL ALL DOORS AND COVERS

Figure 1-3 System Installation Procedure (Sheet 10 of 13)

CHECK DOOR/COVER-TO-CABINET RF SEAL CONTINUITY BY INSERTING A THIN STRIP OF PAPER BETWEEN THE DOOR/COVER-TO-CABINET SEAM AND CHECKING FOR RESISTANCE AS THE PAPER STRIP IS MOVED ALONG THE SEAM. IF THERE IS NO RESISTANCE THE DOOR/COVER-TO-CABINET SEAM WILL NOT PROVIDE AN EFFECTIVE RF SEAL DURING EQUIPMENT OPERATION AND, THEREFORE, MUST BE ADJUSTED UNTIL A PROPER RF SEAL IS ATTAINED




Figure 1-3 System Installation Procedure (Sheet 11 of 13)

CHECK THAT THE EQUIPMENT DOORS AND COVERS ARE ALIGNED ON THE CABINETS, AND ADJUST LEVELER FEET AS NECESSARY TO ACHIEVE PROPER ALIGNMENT

NOTE

DOORS MUST BE PROPERLY ALIGNED ON
CABINETS SO THAT RFI SUPPRESSION
FEATURES OF CABINETS WILL REMAIN VALID




Figure 1-3 System Installation Procedure (Sheet 12 of 13)

- (31) LOCATE THE CONSOLE TERMINAL NEAR THE FRONT OF THE CPU CABINET
- PLUG THE CONSOLE TERMINAL I/O CABLE INTO CONNECTOR LOCATION DOF THE I/O CONNECTOR PANEL AT THE LOWER BACK OF THE CPU CABINET
- 33 CONNECT THE CONSOLE TERMINAL POWER CABLE TO AN EXTERNAL CUSTOMER A.C. OUTLET NEAR THE TERMINAL

Figure 1-3 System Installation Procedure (Sheet 13 of 13)

1.3 POWER CHECK

Figure 1-4 illustrates various ac power receptacles and plugs. the CPU cabinet and the SBI expander cabinet (if present) require OP three-phase ac power. The UNIBUS expander cabinet requires single-phase ac power.

Measure the voltage between each of the three phases and neutral on the three-phase power source receptacles.

Measure the voltage between the source and neutral lines on the single-phase power source receptacles, and also to ground and between earth ground and neutral (8 volts maximum).

The ac power receptacles must meet the specifications listed in Table 1-1.

Table 1-1 AC Power Requirements

| Three-Phase | Nominal | Minimum | Maximum |
|------------------------------------|-----------------------|-----------------|-----------------------|
| Vax Hz Hz Current in amps | 12Ø 5Ø 6Ø | 100 49 59 | 127 61 61 20 |
| Vax Hz Hz Current in amps | 24Ø 5Ø 6Ø | 200 49 59 | 254 51 61 10 |
| Single-Phase (for | UNIBUS expander | cabinet) | |
| Vax Hz Hz Current in amps | 120 50 60 12 | 9Ø 47 47 | 132 63 63 20 |
| Vax Hz Hz Current in amps | 240 50 60 7 | 18Ø 47 47 | 264 63 63 10 |

| SOURCE | PLUG | RECEPTACLE |
|--|---|--------------------------------|
| 120V 15A 1-PHASE | HUBBEL #5286-C NEMA # 5-15P DEC # 90-08938 | #5262 5-15R 12-06351 |
| 120V 30A 1-PHASE | HUBBEL #2611 NEMA # L5-30P DEC # 12-11193 | #2810 L5-30R 12-11194 |
| 120/208-240V 20A 2-PHASE or 120/208V 20A 3-PHASE Y | HUBBEL #2411 W NEMA # L14-20P DEC # 12-11045 Y | #2410 L14-20R 12-11046 |
| 120/208V 20A 3-PHASE Y | HUBBEL #2511 NEMA # L21-20P DEC # 12-11209 Z | #2510 L21-20R 12-11210 Z |
| 240V 15A 1-PHASE | NEMA # 6-15P DEC # 90-08853 | 6-15R 12-11204 |
| 240V 20A 1-PHASE | HUBBEL 423P1 NEMA # L6-20P DEC # 12-11192 | #2320 L6-20R 12-11191 |
| 240/416V 20A 3-PHASE Y | NEMA # NOT NEMA G DEC # 12-09010 | NOT NEMA 12-11259 G X |
| 120/208V 30A 3-PHASE Y | HUBBEL #2811 NEMA L21-30P DEC 12-12314 | #2810 L21-30R 12-12315 |

Figure 1-4 Power Plugs and Receptacles

2.1 SYSTEM INITIAL TURN-ON PROCEDURE

- 1. Ensure that all circuit breakers (Figure 2-1) including those in the system power supplies, are OFF.
- 2. Ensure that all power control sense switches are in the REMOTE position.
- 3. Ensure that the AUTO RESTART switch on the control panel (top front of system cabinet) is in the OFF position.
- 4. Connect the power cable for the system cabinet to the customer power source. Connect the power cable for the UNIBUS expander cabinet to the customer power source. Connect the power cable for the console terminal and the other free-standing peripheral devices to the customer power source. Note that the system cabinet (and the SBI expander cabinet) and the RP06 disk drive require, if present, three-phase ac power. The UNIBUS expander cabinet and the remaining peripheral devices require single-phase ac power.
- 5. Set the main circuit breaker on the power controller to ON (up).
- 6. Check that the memory blower (the middle blower) is functioning.
- 7. Set the three secondary circuit breakers on the 869 power controller to ON.
- 8. Set all remaining circuit breakers (including the following) to the ON (up) position.
 - A H7111 battery back-up circuit breakers
 - ^ H7112 battery back-up circuit breakers (if present)
 - * 869 circuit breakers in the CPU cabinet and the CPU expander cabinet
 - * 877 circuit breakers in the UNIBUS expander cabinet
 - All circuit breakers on free-standing peripheral devices
- 9. Make sure the console terminal power is ON. The LSI-11 HALT ENABLE switch should be set to ENABLE (up), the LSI-11 power switch set to ON (up) and the LTC switch set to OFF (down).

- 10. Set the five-position key switch on the control panel to the LOCAL position.
- 11. Make sure all blowers are functioning.

2.2 SYSTEM CHECK-OUT/DIAGNOSTICS PROCEDURE The system check-out/diagnostics procedure consists of running ALL of the diskettes listed in Table 2-1.

Table 2-1 Basic VAX-11/780 Diskette Directory

| RX Number | | Diagnostic Title | Part Number |
|--------------|---|---|----------------|
| 2 | | 11/780 MICRODIAGNOSTIC #1 | AS-E158?-DE |
| 3 | | 11/780 MICRODIAGNOSTIC #2 OR | AS-E159?-DE |
| 8 | | 11/780 MICRODIAGNISTIC #3 | AS-T409?-DE |
| 7 | | VAX-11/780 DIAGNOSTIC SUPERVISOR | AS-E160?-DE |
| | EVSAA.EXE EVSAA.HLP DIAGBØØ.EXE DEFBOO.CMD | SUPERVISOR HELP FILE | |
| | | VAX 11 INSTRUCTION #2 | AS-F748?-DE |
| | EVKAC.EXE EVKAC.HLP EVKAD.EXE EVKAE.EXE EVKAE.HLP EVKAM.EXE EVKAM.HLP | FLOATING POINT INSTRUCTION HELP FILE FOR EVKAC.EXE COMPATIBILITY MODE INSTRUCTION PRIVILEGED ARCH INSTRUCTION HELP FILE FOR EVKAE.EXE VAX MEMORY USER MODE TEST HELP FILE FOR EVKAM.EXE | |
| 61 | | 11/780 VAX BUS + AUTOSIZER | AS-T139?-DE |
| | ESCAA.EXE ESCBA.EXE EVCEA.EXE EVCEA.HLP EVSBA.EXE EVSBA.HLP | MASSBUS CHANNEL ADAPTER DIAG. UNIBUS CHANNEL ADAPTER DIAG. VAX UNIBUS SWITCH FUNCTION HELP FILE FOR EVCAE.EXE VAX AUTOSIZER HELP FILE FOR EVSAB.EXE | |
| 62 | | VAX 11 INSTRUCTION #1 | AS-T140?-DE |
| | EVKAA.EXE EVKAB.EXE EVKAB.HLP | VAX 11 HARDCORE INSTRUCTION VAX 11 ARCHITECTURAL INSTRUCTION HELP FILE FOR EVKAB.EXE | |

The check-out/diagnostics procedure basically consists of booting the system, running microdiagnostics (RX Numbers 2 and 3 or 8), and then running macrodiagnostics.

NOTE

Paragraphs 2.2.1 through 2.2.3 contain only a PARTIAL, TYPICAL representation of what system check-out/diagnostics look like during actual installation of the system. The diagnostics test examples were obtained by running the CURRENT VERSION of the diskettes listed in Table 2-1. Thus, tests results obtained from use of LATER VERSION diskettes may differ somewhat from that shown below.

NOTE

Paragraphs 2.2.1 through 2.2.3 provide a guideline of how to perform certain diagnostic tests for the options installed per Part II of this manual.

NOTE

In the following procedures underlining indicates what you must type at the console terminal.

2.2.1 Bootstrap the System

1. Insert Console floppy disk RX1 (Part No. ZZ-ESZAB) VAX-11/780 Console Package into the floppy drive assembly per Figure 2-2.

NOTE

If the system has been turned OFF, turn it on by setting the keyswitch to LOCAL, and then refer to Step 2. If the system has already been powered on, and is not in the console mode, (= >>>) prompt being printed, MOMENTARILY set the LSI-11 HALT/ENABLE switch to HALT (down). This will output the PC+2 of the LSI-11 and produce an ODT prompt "@" on the console terminal.

NOTE

If the system is in the console mode [prints out three carets (>>>)] go to step 3.

Type 173000G to boot the floppy. These actions will load the console software CONSOL.SYS into the LSI-11 memory from the floppy, and then load the writable control store in the VAX-11/780 CPU from a WCSxxx.PAT file.

The following should be printed out on the console terminal:

CPU HALTED, SOMM CLEAR, STEP=NONE, CLOCK=NORM RAD=HEX, ADD=PHYS, DAT=LONG, FILL=00, REL=00000000 INIT SEQ DONE HALTED AT 00000000

(RELOADING WCS)
LOAD DONE, ØCØØ MICROWORDS LOADED
VER: PCS=Øl WCS=ØE-lØ FPLA=ØE CON=VØ7-ØØ-L KE78Ø PRESENT

- 3. The console has entered the console I/O mode of operation.
- 4. Remove the Console floppy diskette from the floppy disk drive per Figure 2-2.
- 2.2.2 Running Microdiagnostics

>>>

a. Microdiagnostic No.1 -- The RX2 Microdiagnostic No.1 floppy is used to run the following diagnostics

ESKAB VAX-11/780 (KA780) Microdiagnostic Monitor

ESKAD VAX-11/780 (KA780) Hardcore Test Stream

ESKAH VAX-11/780 (KA780) Microdiagnostic Test #1

The names of these tests are printed out as Microdiagnostic test No.1 runs.

- 1. Insert RX2 VAX-11/780 MICRODIAGNOSTIC #1 AS-E158Q-DE floppy disk into the the floppy disk drive per Figure 2-2.
- Notify the console that the test (T) will enter the Control Mode (C) by typing after the three-caret prompt as follows

>>>T/C

The following will be printed at the console terminal

ZZ-ESKAB V13.1

Run two (2) passes (PA) of microdiagnostic (DI) tests by typing after the microdiagnostic (MIC>) prompt as follows

MIC>DI PA:2

The following will then be printed at the console terminal

ESKAD -- V13, Ø 01,02,03,04 NO. OF 1K BANKS OF WCS = 0004 05,06,07,08,09,0A,0B,0C,0D,0E,0F,10,11,12,13,14,15,16,17, 18,19,1A,1B,1C,1D,1E,1F, ESKAH V13.0 2Ø, SYSTEM ID REGISTER = Ø1387FFF KE780 FPLA PRESENT 21, 22, 23, 24, 25, 26, 27, 28, 29, 2A, 2B, 2C, 2D, 2E, 2F, 3Ø, 31, 32, 33, 34, 35, 36, 37, 38, 39, 3A, 3B, 3C, END PASS 0001 ESKAD -- V13.0 01,02,03,04, NØ. OF 1K BANKS OF WCS = ØØØ4 Ø5, Ø6, Ø7, Ø8, Ø9, ØA, ØB, ØC, ØD, ØE, ØF, 10, 11, 12, 13, 14, 15, 16, 17, 18,19,1A,1B,1C,1D,1E,1F,' ESKAH-V13.0 20, SYSTEM ID REGISTER = Ø1387FFF KE780 FPLA PRESENT 21, 22, 23, 24, 25, 26, 27, 28, 29, 2A, 2B, 2C, 2D, 2E, 2F, 3Ø, 31, 32, 33, 34, 35, 36, 37, 38, 39, 3A, 3B, 3C, END PASS 002 MOUNT FLOPPY ZZ-ESZAD & TYPE 'DI'

NOTE

The second pass should be identical to the first pass.

MIC>

Remove Microdiagnostic #1 floppy from the floppy disk drive per Figure 2-2.

b. Microdiagnostic Test No.3 -- The Microdiagnostic No.3 floppy is used to run the following test for systems with MS780-E memory.

ESKAR VAX-11/780 (KA780) Microdiagnostic Test #3

- 1. Insert RX8 VAX-11/780 MICRODIAGNOSTIC #3 AS-E159?-DE floppy disk into the floppy disk drive per Figure 2-2.
- 2. After the prompt, run microdiagnostic #3 test by typing

MIC> DI PA:2

The following will then be printed at the console terminal

ESKAR-VØ.1
3D, 3E,
CPU TR = ØØØØØØ1Ø
MS78Ø-E 64K CHIP AT TR ØØØØØØØ1
LOWER CNTRLLR MAX ADDRESS+1= ØØ8ØØØØ
UPPER CNTRLLR MAX ADDRESS+1= Ø8ØØØØØ
DW78Ø AT TR ØØØØØØØ3
RH78Ø AT TR ØØØØØØØ8
RH78Ø AT TR ØØØØØØØ9
3F,4Ø,41,42,43,44,45,46,47,48,49,4A,4B,4C,4D,4E,4F,5Ø,51
52
MS78Ø-EF ID BASE ADDRESS = 2ØØØ2ØØØ

MS 780-EF ID BASE ADDRESS = 20002000 LOWER CONTROLLER MAX ADDR + 1 = 00800000

BOARD NUMBER = ØØØØØØØØ NUMBER OF CRD ERRORS = ØØØØØØØØ BOARD NUMBER = ØØØØØØØ1 NUMBER OF CRD ERRORS = ØØØØØØØØ BOARD NUMBER = ØØØØØØØ2 NUMBER OF CRD ERRORS = ØØØØØØØØ

BOARD NUMBER = 0000003 NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 0000004 NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 0000005 NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 0000006 NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 0000007 NUMBER OF CRD ERRORS = 00000000

MS780-EF IO BAS ADDRESS = 20002000

UPPER CONTROLLER MAS ADDR + 1 = 00800000 BOARD NUMBER = 00000000

NUMBER OF CRD ERRORS = 00000000 BOARD NUMBER = 00000001

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = ØØØØØØØ2

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 00000003

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 00000004

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 00000005

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 00000006

NUMBER OF CRD ERRORS = 00000000

BOARD NUMBER = 00000007

NUMBER OF CRD ERRORS = 00000000

53, MS780-E 64K CHIP AT TR00000001 M8376 ROMS OK 54,55,56,57,58,59, STARTING FPA TESTS 5A,5B,5C,5D,5E,5F,60,61,62,63,64,65,66 END PASS 0001

NOTE

The second pass should be identical to the first pass.

MIC>

Remove the microdiagnostic #3 floppy from the floppy drive assembly per Figure 2-2.

NOTE

If the system being installed contains an MS780-C memory use RX3 Micro-diagnostics floppy #2 instead of of RX8.

- 2.2.3 Running Macrodiagnostics
 - 1. Install the Standard Console floppy RX1
 - 2. Reboot the VAX-11/780 by typing

MIC>REturn

and the following will be printed:

CPU HALTED, SOMM CLEAR, STEP=NONE, CLOCK=NORM RAD=HEX, ADD=PHYS, DAT=LONG, FILL=00, REL=00000000 INIT SEQ DONE HALTED AT 00000000

(RELOADING WCS)
LOAD DONE, ØCØØ MICROWORDS LOADED
VER: PCS=Øl WCS=ØE-lØ FPLA=ØE CON=VØ7-ØØ-L KE78Ø PRESENT

>>>

- 3. Remove the Standard Console floppy
- Install the Diagnostic Supervisor floppy RX7.

5. Type the following

>>>L ESSAA.EXE/S:FEØØ

LOAD DONE, ØØØ1DCØØ BYTES LOADED

>>>S 10000

DIAGNOSTIC SUPERVISOR. ZZ-ESSAA-6.8-794 13-JAN-1982 14:34:36

DS>

- 7. Remove the Diagnostic Supervisor floppy
- 8. Run the VAX Autosizer EVSBA.EXE located on floppy RX#61.

NOTE

The Autosizer program will pass configuration information on the the Diagnostic Supervisor. It builds a series of ATTACH commands based on the hardware it found during its sizing process which it passes on the the Supervisor. This may be written to the console load media for later use.

Running the EVSBA.EXE at this time will allow you to see what devices are configured properly and what devices are not.

Fix any hardware not "seen" by the Autosizer and then rerun the Autosizer until each device is "seen". Proceed to step 9.

- 9. Install VAX INSTR #1 floppy RX62
- 10. After the DS> prompt type the following

DS> L EVKAB

DS> ATTACH KA780

and then answer the following questions:

NOTE

These questions appear only if you enter the prompt mode by typing carriage returns. Device Link? SBI

Device Name? KAØ

G-floating instructions? Y*

H-floating instructions? Y*

WCS last address? Ø

NOTE

Type both "Ys" if the system contains a KE780 or both "Ns" if it does not.

and then type

DS> SEL KAØ

DS> SET H,T

DS> ST/P:2

and the following will then be printed

.. Program: VAX Basic Instructions Exerciser, ZZ-EVKAB,

revision 2.5, 10 test at 14:48:50.31.

testing: KAØ

Accelerator type 1 is disabled.

Test 1: Integer Arithmetic and Logicial Instructions

Test 2: Variable Length Bit Field Instructions

Test 3: Basic Branch Instructions

Test 4: Single Bit Field Control Instructions

Test 5: Integer Arithmetic Control Instructions

Test 6: INDEX Instruction

Test 7: Queue Instructions

Test 8: Character String Instructions

Test 9: Decimal String Instructions

Test 10: Edit Instruction

Accelerator type 1 is enabled.

Test 1: Integer Arithmetic and Logicial Instructions

Test 2: Variable Length Bit Field Instructions

Test 3: Basic Branch Instructions

Test 4: Single Bit Field Control Instructions

Test 5: Integer Arithmetic Control Instructions

Test 6: INDEX Instruction

Test 7: Oueue Instructions

Test 8: Character String Instructions

Test 9: Decimal String Instructions


Test 10: Edit Instruction

Accelerator type 1 is enabled.

.. First pass done, Ø errors detected, time is 13-JAN-1982 14:56:46.12

```
Test 1: Integer Arithmetic and Logicial Instructions
Test 2: Variable Length Bit Field Instructions
Test 3: Basic Branch Instructions
Test 4: Single Bit Field Control Instructions
Test 5: Integer Arithmetic Control Instructions
Test 6: INDEX Instruction
Test 7: Queue Instructions
Test 8: Character String Instructions
Test 9: Decimal String Instructions
Test 10: Edit Instruction
Test 1: Integer Arithmetic and Logicial Instructions
Test 2: Variable Length Bit Field Instructions
Test 3: Basic Branch Instructions
Test 4: Single Bit Field Control Instructions
Test 5: Integer Arithmetic Control Instructions
Test 6: INDEX Instruction
Test 7: Queue Instructions
Test 8: Character String Instructions
Test 9: Decimal String Instructions
Test 10: Edit Instruction
.. End of run, Ø errors detected, pass count is 2,
   time is 13-JAN-1982 15:04::40.80
```

- 11. Remove the VAX INSTR #1 floppy
- 12. Run the diskettes listed in Table 2-1 that have not been run.







Figure 2-1 Circuit Breaker Locations

- (1) UNLOCK AND OPEN THE FRONT DOORS OF THE CPU CABINET
- GRAB THE HANDLE ON THE SIDE OF THE DRIVE ASSEMBLY AND SWING THE DRIVE OUT PERPENDICULAR TO THE CPU CABINET

NOTE

FLOPPY DISKETTES CANNOT BE INSERTED IF THE DRIVE ASSEMBLY IS NOT PERPENDICULAR TO THE CPU CABINET



GRAB THE FLOPPY DISKETTE BY THE LABEL AREA AND REMOVE IT FROM THE PROTECTIVE COVER




Figure 2-2 Floppy Diskette Loading Procedure (Sheet 1 of 3)

CAUTION

HOLD THE DISKETTE ONLY BY THE LABEL AREA

DO NOT TOUCH ANY EXPOSED AREA OF THE DISKETTE

NEVER WRITE ON THE COVER THAT CONTAINS A DISKETTE

IF DISKETTE BECOMES DIRTY OR DUSTY DO NOT ATTEMPT TO CLEAN IT; DISPOSE OF IT

DO NOT INSERT A DIRTY OR DUSTY DISKETTE IN THE DRIVE ASSEMBLY

DO NOT PUT PAPER CLIPS ON EDGES OF THE DISKETTE

KEEP DISKETTE AWAY FROM ANY METAL OR OTHER MATERIAL THAT MIGHT BE MAGNETIZED

DO NOT BEND THE DISKETTE

DO NOT EXPOSE THE DISKETTE TO HEAT OR SUNLIGHT


RETURN THE DISKETTE TO THE PROTECTIVE COVER WHENEVER IT IS REMOVED FROM THE DRIVE ASSEMBLY

STORE DISKETTES FLAT IN BOXES WHEN NOT IN USE

4 SQUEEZE DRIVE ASSEMBLY HANDLE WITH THUMB AND FOREFINGER; HANDLE WILL SPRING ASIDE

Figure 2-2 Floppy Diskette Loading Procedure (Sheet 2 of 3)

5 HOLD THE DISKETTE BY THE LABEL AREA AND INSERT IT INTO THE DRIVE ASSEMBLY




6 CLOSE THE DRIVE ASSEMBLY SLOT

Figure 2-2 Floppy Diskette Loading Procedure (Sheet 3 of 3)

PART II

OPTIONS INSTALLATION



3.1 GENERAL

Unpacking and inspection of options consists of:

- Setting up a static discharge system
- 2. Unpacking and inspecting option component parts

CAUTION

Small component parts such as cardcage assemblies, modules, and chips must be unpacked and inspected on the the static discharge system mat to prevent equipment damage from static electricity discharges.

3.2 STATIC DISCHARGE SYSTEM SET-UP

NOTE

The following information is for the field service representative. The self-maintenance customer must follow similar precautions.

- Unpack a VELOSTATTM* static discharge system (CD kit no. A2-W0299-10).
- 2. Unfold the VELOSTAT mat.
- 3. Attach the 15-foot ground cord to the mat snap fastener.
- 4. Attach the 15-foot ground cord alligator clip to a good electrical ground point in the VAX-11/780.
- 5. Install the wrist strap on your wrist.
- 6. Attach the wrist strap grounding strap to a convenient part of the mat.

3.3 UNPACKING -- OPTIONS

1. Make sure the shipping container is sealed and undamaged and that the correct number of containers was shipped. Report any differences to the customer and also on a LARS report form (Figure 1-1).

^{*}VELOSTAT is a registered trademark of 3M.

CAUTION

Utilize the static discharge system when handling component parts small enough to be placed on the the static discharge system mat. Use of the mat will prevent equipment damage from static electricity discharges.

NOTE

If any items are missing the customer should check with the carrier.

Open the containers one at a time, starting with the one marked "Open Me First". Inventory the contents via the packing slip and record any missing items on the installation report.

NOTE

Packing materials (e.g. foam fillers, plastic inserts) should be retained if reshipment is contemplated.

3.4 INSPECTION -- OPTIONS

Inspect the equipment for any damage. If any damage is found notify the customer and also record it on the installation report. Damaged components requiring replacement should be immediately reported to the branch service manager.

CAUTION

Use the static discharge system when handling component parts small enought to be placed on the static discharge system mat. Use of the mat will prevent equipment damage from static electricity discharges.

- 4.1 KU780-A WRITEABLE CONTROL STORE
 The KU780-A is a 2Kb writeable control store option that consists of:
 - 1. An M8238 module
 - 2. KA780-A backplane connector Jll jumpers
 - 3. M8232 clock module jumpers (W23 and W24)

NOTE

The Part II, Chapter 3 static discharge system procedure must be performed during unpacking, inspection, and installation to prevent damage to the KU780-A from static electricity discharges.

- 4.1.1 KU78Ø-A Installation
 - Turn off the system per Figure 4-1
 - 2. Install the KU780-A per Figure 4-2
- 4.1.2 KU780-A Diagnostics
 - 1. Turn on the system per Figure 4-3

NOTE

Part I, Chapter 2 describes how to run diagnostics.

- 2. Run 2 passes of all microdiagnostics
- 4.2 FP780-AA/AB FLOATING POINT ACCELERATOR
 The FP780-AA/AB is a high-performance floating-point accelerator that is used for single- and double-precision floating-point instructions, plus POLY, EMOD, and MULL. It consists of:
 - 1. Five extended hex modules (M8285, M8286, M8287, M8288, M8289)
 - 2. M8232 module jumpers (W1 thru W14)
 - 3. H7100 power supply
 - 4. Interconnecting power supply cables
 - 5. FP780-AA/AB decal

NOTE

The Part II, Chapter 3 static discharge system procedure must be performed during unpacking, inspection, and installation to prevent damage to the FP780-AA/AB from static electricity discharges.

- 4.2.1 FP780-AA/AB Installation
 - Turn off the system per Figure 4-1
 - 2. Install the FP780-AA/AB per Figure 4-4
- 4.2.2 FP780-AA/AB Diagnostics

Turn on the system per Figure 4-3 and run both microdiagnostics, plus EVKAC and UETP.

NOTE

Part I, Chapter 2 describes how to run diagnostics.

- 4.3 KE780-E EXTENDED RANGE FLOATING POINT OPTION
 The KE780-A is an extended-range floating-point option that adds
 Grand and Huge capabilities to the CPU. It consists of:
 - 1. KE780-A FPLA chip (Part No. 23-065C6-00)
 - 2. KE780-A serial tag

NOTE

The Part II, Chapter 3 static discharge system procedure must be performed during KE780-A unpacking, inspection, and installation to prevent damage to the KE780-A from static electricity discharges.

4.3.1 KE78Ø-A Installation

NOTE

Prior to installation of the KE780 check that an M8238 module has been installed in slot 20 (system minimum revision level at 7) and that an M8238 has been installed in slot 18 (KU780-A installed per paragraph 4.1). The two M8238 modules provide the combined 4k of control store space required for proper operation of the KE780-A.

- 1. Turn off the system per Figure 4-1
- 2. Install the KE780-A per Figure 4-5
- 3. Turn on the system per Figure 4-3


4.3.2 KE780-E Diagnostics

- 1. Execute microdiagnostics
- Run the following macrodiagnostics under the diagnostic 2. supervisor
 - EVKAD (VAX architectural instructions)

 - EVKAC (VAX floating point instructions)
 EVKAD (VAX compatibility modes instructions) c.
 - EVKAE (VAX privileged architecture instructions)
- 3. Boot VMS

NOTE

Part I, Chapter 2 describes how to run diagnostics.



HALT THE SYSTEM BY TYPING

- 1. "SYSTEM" AFTER THE "USERNAME" PROMPT
- 2. "MANAGER" AFTER THE "PASSWORD" PROMPT
- 3. "@SYS\$SYSTEM:SHUTDOWN" AFTER THE DOLLAR SIGN "\$" PROMPT
- 4. "O" AFTER THE QUESTION "HOW MANY MINUTES UNTIL SHUTDOWN?"
- 5. "MAINT" AFTER THE "REASON?" QUESTION
- 6. "NO" AFTER THE "DO YOU WANT TO SPIN DOWN THE DISKS?" QUESTION

Figure 4-1 System Turn-Off Procedure




Figure 4-2 KU780-A Installation Procedure (Sheet 1 of 5)




Figure 4-2 KU780-A Installation Procedure (Sheet 2 of 5)




Figure 4-2 KU780-A Installation Procedure (Sheet 3 of 5)




Figure 4-2 KU780-A Installation Procedure (Sheet 4 of 5)

- AT FRONT OF CABINET UNIFORMLY REPOSITION AIR PANELS ALONG ENTIRE WIDTH OF CARDCAGE SLOT AREA
- (11) CLOSE CABINET DOORS
- (12) PERFORM KU780-A DIAGNOSTIC TESTS PER PARAGRAPH 4.1.2

Figure 4-2 KU780-A Installation Procedure (Sheet 5 of 5)





Figure 4-3 System Turn-On Procedure






Figure 4-4 FP780-AA/AB Installation Procedure (Sheet 1 of 4)

TE-7714




Figure 4-4 FP780-AA/AB Installation Procedure (Sheet 2 of 4)





Figure 4-4 FP780-AA/AB Installation Procedure (Sheet 3 of 4)

- 8 TORQUE GROUND AND +5 V WIRES ON POWER SUPPLY TO 30 IN POUNDS
- CONNECT POWER SUPPLY NO. 1 AC
 POWER CABLE TO J1, J3, J4 OR J5 OF
 869 POWER CONTROLLER
- 10) REMOVE M8232 AND THEN INSTALL AND SOLDER JUMPERS WI THRU WI4



11) REINSTALL M8232 IN BACKPLANE SLOT 16

Figure 4-4 FP780-AA/AB Installation Procedure (Sheet 4 of 4)




Figure 4-5 KE780-A Installation Procedure (Sheet 1 of 4)

3 INSPECT SLOT 18 FOR PRESENCE OF AN M8238 MODULE:

1. IF AN M8238 IS IN SLOT 18 PROCEED TO STEP 4





Figure 4-5 KE780-A Installation Procedure (Sheet 2 of 4)






Figure 4-5 KE780-A Installation Procedure (Sheet 3 of 4)

- 7 AT FRONT OF CABINET UNIFORMLY REPOSITION AIR PANELS ALONG ENTIRE WIDTH OF CARDCAGE SLOT AREA
- (8) CLOSE CABINET DOORS
- 9 PERFORM KE780-A DIAGNOSTIC TESTS PER PARAGRAPH 4.3.2

Figure 4-5 KE780-A Installation Procedure (Sheet 4 of 4)

5.1 GENERAL

The VAX-11/780 UNIBUS adapter (UBA) DW780-AA/AB interfaces the CPU to the system units in the BAll-K expansion boxes. There can be a maximum of four UBAs (DW780s) installed in the VAX-11/780.

The DW780-CC/DD installation kit consists of:

- DW780-AA/AB card cage and backplane assembly
- \bullet H7100 power supply with H7101 .5V Regulator (P/N 7014956)
- Blank SBI slot panel
- Interconnecting cables
- Expansion cabinet DW780-AA/AB decal

CAUTION

The modules that comprise the DW780 contain components that could be damaged by electrostatic discharge. Do NOT

handle without the use of a VELOSTAT **
Kit, CD Kit #A2-WØ299-10, or other
approved antistatic material. Install

the VELOSTAT TM kit per Chapter 3.

5.2 DW780 POWER SUPPLY INSTALLATION

5.2.1 System Turn-Off

Turn off the system (Figure 4-1).

5.2.2 H7100 Installation

Determine the need for the H7100 included in the option installation kit (Figure 5-1). If an H7100 is not required inform the customer of H7100 spare status and then proceed with the option installation procedure. If an H7100 is required remove the blank power supply panel. Install the H7100, using the mounting hardware and the slide lock (Figure 5-2).

5.3 SYSTEM FAR-END TERMINATOR (SFT) RELOCATION

- 1. Open the CPU cabinet back door and remove the six SBI jumper cables connecting the SFT to the unit mounted next to it.
- 2. Disconnect the cable harness plugs from SFT jacks J7, J8, and J9.

- 3. Remove and save the ten screws that hold the SFT to the blank panel and then remove the SFT.
- 4. Mount the SFT in the SBI expansion cabinet on a blank panel to the left of the 4-inch option slot where the DW780 is to be installed.
- 5. Secure the SFT to the blank panel using the ten screws saved in step 3.
- 6. Connect plugs P7, P8, and P9 from the cabinet cable harness to SFT jacks J7, J8, and J9.

5.4 DW780-CC/DD INSTALLATION

- 1. Remove the 4-inch blank option panel in the SBI expansion cabinet where the DW780 is to be installed.
- 2. Replace the blank panel with the DW780-CC/DD and attach it at the top and bottom of the cabinet card cage using the four screws provided in the installation kit.
- 3. Install the paddle card (Figure 5-3) on the DW780 backplane.

5.5 DW78Ø INTERCONNECTING CABLING

5.5.1 H7100 Cabling

- 1. Interconnect the DW780 and the H7100 cabling (Figure 5-4).
- Connect the H7100 primary power cable (Figure 5-5).
- 3. Route the power supply cable (Figure 5-6).

5.5.2 SFT Cabling Interconnect the SFT cables to DW780-CC/DD with six ribbon cables (Figure 5-7).

5.5.3 DW780 Cabling

- 1. Interconnect DW780 with the last unit in the CPU cabinet via six 18-inch ribbon cables (Figure 5-7).
- 2. Install protective grommets in the six expansion cabinet-to-CPU wall holes (ribbon cable holes).
- Install UNIBUS terminator card M9044 in DW780.

5.6 DW78Ø JUMPER PLUGS Install the DW78Ø jumper plugs (Figure 5-8).

- 5.7 DW780 DECAL Install DW780 decals in the CPU expansion cabinet.
- 5.8 SYSTEM TURN-ON
 Turn on the system (Figure 4-3) and run DW780 diagnostics.
- 5.9 DW780 DIAGNOSTICS
 Run one pass with the following diagnostics:
 - 1. ESKAH
 - 2. ESKAJ
 - 3. ESCBA
 - 4. UETP

NOTE

Before running diagnostics for devices on the UNIBUS see EVNDX for appropriate diagnostics.




Figure 5-1 Power Supply Utilization (Sheet 1 of 2)

4 IF AN H7100 HAD BEEN PREVIOUSLY INSTALLED AS POWER SUPPLY NO. 1 FOR AN OPTION MOUNTED IN SLOT 1 (AND SLOTS 2 OR 3 ARE AVAILABLE FOR THE OPTION) THE H7100 IN THE OPTION INSTALLATION KIT IS NOT REQUIRED




Figure 5-1 Power Supply Utilization (Sheet 2 of 2)




Figure 5-2 Power Supply Slidelock Details




Figure 5-3 DW780 Installation Details




Figure 5-4 Option Power Supply Cabling (Sheet 1 of 3)




Figure 5-4 Option Power Supply Cabling (Sheet 2 of 3)

OPTION INTERCONNECT TABLE

| OF HOM WIT MODIFICE TRACE | | | | | | |
|---------------------------|------------------------------|--------------------|----------------|------------------|-----------------|--|
| ITEM # REF. | PART NUMBER | DESCRIPTION | FROM | 10 | REMARKS | |
| | | | CABLE PI | PS #1 J3 | AC,DC LO + GND | |
| 1 | 7014212 OM | CARLE AC DC LO | P? | SLOT 2 J13 | | |
| | | | PI | PS #2 J3 | | |
| 2 | 7014212 OM | | P2 | SLOT 4 J13 | | |
| _ | | | P1 | SLOT 2 J14 | | |
| 3 | 7014217 011 | . | P2 | SLOT 3 J13 | | |
| • | | CARLE AC DC LO | P1 | SLOT 4 J14 | | |
| 4 | 7014212 011 | CARLE AC,DC LO | P2 | SLOT 5 JI3 | | |
| 5. | 7015632 06 | CABLE TO TERM BD | P1 | CPU I/O PANEL J7 | | |
| J . | 7013032 06 | CAUCE TO TENMED | CABLE P? | SLOT 6 JB | AC,DC,LO + GND | |
| | | | HARNESS PT | CPU I/O PANEL JO | •5V,GND, 5V,GND | |
| | l | | P3 | SLOT 2 J15 | | |
| 6. | 7015830 00 | HARNESS TERM | P4 | SLOT 3 JIS | | |
| | | | P5 | SLOT 4 JI5 | <u> </u> | |
| | | | P6 | SLOT 5 J15 | | |
| | | | HVUNESS LY | SLOT 6 J7 | +5V,GND, 5V,GND | |
| 1 | 7014249 OL | CANLE POWER IBI KI | PS #1 +5RET C | SLOT 2 + SRET C | PS. #1 +5RETURN | |
| | | | D | SLOT 2 +5RET D | | |
| 9 | | | <u> </u> | SLOT 3 +5RET C | | |
| 10 | | | PS #1 +5RFT B | SLOT 3 +SRET D | PS #1+5RETURN | |
| 11 | | | PS #7 1511FT C | SLOT 4 +5RET C | PS #2 +5RETURN | |
| 12 | | | 0 | SLOT 4 'SRET D | I | |
| 13 | | | A | SLOTS +SRET C | | |
| 14 | 7014249 OL | CARLE POWER IRI KI | PS #2 +5RET B | SLOT 5 +5RET D | PS #2 +5RETURN | |
| 15 | 7014530 OL CARLE POWER (RED) | | PS #1 15V C | SLOT 2 +5V C | PS #1 15V | |
| 16 | II | | D | SLOT 2 +5V D | | |
| 17 | L | | <u> </u> | SLOT 3 -5V C | 25 71 1511 | |
| 18 | | | PS #1 15V B | SLOT 3 +5V D | PS #1 +5V | |
| 19 | | | PS #2 +5V C | SLOT 4+5V C | PS #2 +5V | |
| 20 | | | U | SLOT 4 +5V D | | |
| 21 | <u> </u> | <u> </u> | <u> </u> | SLOT 5 +5V C | | |
| 22 | 7014530 OL CABLE POWER (RED) | | PS #2 +5V B | SLOT 5 +5V D | PS #2 +5V | |

NOTE
*ALL CABLES EXCEPT ITEMS 5 & 6 ARE PART OF
OPTION ASSEMBLIES

OPTION INTERCONNECT TABLE

| OPTION INTERCONNECT TABLE | | | | | | | |
|---------------------------|-------------|---------------------|----------------|--------------------------|------------------|--|--|
| ITEM # REF. | PART NUMBER | DESCRIPTION | FROM | TO | REMARKS | | |
| · · · · · · | 201421212 | CABLE AC DC LO | CABLE P1 | PS #1 J3 | AC DC LO & GND | | |
| ١ ' | 7014212 IC | CABLE AC DC LO | P2 | SLOT 1,2, & 3 . J20 | | | |
| | | | PI | PS #1 - J7 | +58 & +12 | | |
| 2 | 7014234 OK | CABLE +5BE + 12 | P2 | SLOT 1,2,& 3 - J17 | | | |
| 1 | | | P3 | SLOT 1,2, & 3 - J14 | | | |
| 3. | 7015632 06 | CABLE TO TERM BD | P1 | CPU I/O PANEL - J7 | AC DC LO & GND | | |
| J | 7019032 00 | CABLE TO TERM BU | CABLE P2 | SLOT 6 - JB | | | |
| | | | | | | | |
| 4 | 7014250 OK | CABLE POWER (BLK) | PS #1 +5 RET A | SLOT 1,2, & 3 - JIS-A | | | |
| 5 | | | В | SLOT 1,2, & 3 - JIS-B | | | |
| 6 | 7014529 OK | CABLE POWER (RED) | Α | SLOT 1,2, & 3 - JIB A | PS #1 +5V | | |
| 1 | | | PS #1 +5 RET B | SLOT 1,2, 43 JIBB | | | |
| L | | | | | | | |
| | | | | | | | |
| | | | | ļ | | | |
| 8 | 7014212 OM | CABLE AC DC LO | CABLE PI | PS #2 - J3 | AC DC LO & GND | | |
| | 7014212 OM | · | P2 | SLOT #4 - J13 | | | |
| 9 | 7014212 OH | | P1 | SLOT #4 - J14 | | | |
| ļ | 7014212 OH | CABLE AC DC LO | CABLE P2 | SLOT #5 J13 | AC DC LO & GND | | |
| <u> </u> | | | | ļ | | | |
| | | | | | | | |
| | | 2.5. F 50WF 5 451 W | DO 40 .F DE 5 | SLOT #4 ·S RET C | AC 40 . F BETIER | | |
| 10 | 7014249-0L | CABLE POWER (BLK) | PS #2 +5 RET C | SLUT #4 -5 HET C | PS #Z +B ME TUNN | | |
| 11 | 7014040 01 | CARL F 80WER (D) W | D | SLOT # 5 +5 RET · C | SC 42 45 DETURN | | |
| 13 | 7014249 OL | CABLE POWER (BLK) | PS #2 +5 RET B | ·D | PS #2 TO RETURN | | |
| 14 | 7014530-OL | CABLE POWER (RED) | PS #2 +5V C | SLOT #4+5·C | PS #2 +5V | | |
| | 7014330-0L | CABLE FUNEN INEUI | P3 #2 *5V C | ·D | F3 #2 V3V | | |
| 15 | | 3 560 m m (nCD) | I A | SLOT #5 +5 · C | PS #2 +5V | | |
| 17 | 7014530-0L | LAOLE PÚWEH (RED) | PS #2 + 5V B | .D | 13 #2 *3V | | |
| ''- | 7015630-00 | HARNESS TERM | HARNESS PI | CPU I/O PANEL - JO | AEV CHO EV CHO | | |
| 1 | | | P2 | SLOTS 1.2. &3 - J19 | טאט אב טאט יכין | | |
| ١ | | | P5 | | | | |
| 18. | | | P6 | SLOT 4 J15 SLOT 5 J15 | | | |
| 1 | | | | SLOT 6 J7 | | | |
| L | L | | HARNESS P7 | Jarole 11 | L | | |

"ALL CABLES EXCEPT ITEMS 3 & 18 ARE PART OF OPTION ASSEMBLIES

18.1183

Figure 5-4 Option Power Supply Cabling (Sheet 3 of 3)




Figure 5-5 H7100 Primary Power Cabling

Figure

5-6

H7100

Primary

Power


Cable


Routing

OPTIONAL {

| T ₁ | TEM NO. | 115 VOLT A.C. 50/80 HZ SYSTEM | | | | | |
|----------------|------------|-------------------------------|-----------------------------|----------------|--------------|--|--|
| - [0 | REF. ONLYI | PART PO. | PESCRIPTION | FROM | TO | | |
| Ī | | 7014323-09 | POWER CORD ASS'Y (FAN 115V) | COPD P1 | PUB D/J11-B | | |
| ı | 1 | 7014323.06 | | COUD 12 | BLOWER-JI | | |
| | | 9107673 28 | EXTENSION CORD 115V BFT. | CORD PLUG | 809 D/J14-B | | |
| İ | ' | 9107673 26 | | CORD BACK | P.S. #1 A.C. | | |
| | • | 9107873 08 | EXTENSION CORD 115V BFT. | CORD PLUG | 869 D/J18-B | | |
| - 1 | 3 | 9107873 08 | | CORD BACK | P.S. #2 A.C. | | |
| NAL (| 4 | H7112 A | RATTERY CHARGER (115V .OHZ) | A.C. CORD PLUG | 869 D/J17-B | | |

| ITEM NO. | 200 VOLT A.C. 50/50 HZ SYSTEM | | | | | | | |
|-------------|-------------------------------|------------------------------|----------------|---------------|--|--|--|--|
| (REF, ONLY) | PART NO. | DESCRIPTION | FROM | TO | | | | |
| | 7014324 08 | POWER CORD ASS'Y (FAN 230V) | CORD P1 | 869 E/J11-8 | | | | |
| , | 7014324 08 | | CORD P2 | BLOWER-J1 | | | | |
| | 7014308 08 | EXTENSION CORD 230V 6 FT. | CORD PLUG | 869 E/J14-B | | | | |
| , | 7014308 08 | | CORD JACK | P.S. #1 A.C. | | | | |
| | 7014309 08 | EXTENSION CORD 230V 6 FT. | CORD PLUG | 869 E/J18 B | | | | |
| J | 7014308 06 | | CORD JACK | P.S #2 A.C. * | | | | |
| 4 | H7112 B | BATTERY CHARGER (230V 50 HZ) | A.C. CORD PLUG | 809 E/J17-B | | | | |





- NOTES: 1 SAMPLE ARRANGEMENT CONSISTS OF
 - A. 4 INCH BACKPLANE (OTY 4 OR SUBSET)
 - B. JINCH BACKPLANE (OTY 1)
 - C. SFT (#M9043)
 - 2. S.B.I. CABLE CONNECTIONS TO S.F.T. FROM ADJACENT BACKPLANE ARE ALWAYS 1700087 01. OTHER S.B.I. CABLES ARE 1700087-00.
 - 3. FOR S.B.I. IN & OUT SEE D IC 11780 0-3 SHEETS 2 & 3.
 - 4. STANDARD CAB-CAB SBI CABLES ARE 1700087-03 (18") UNLESS CPU IS AN M780-CX THUS REQUIRING A 1700087-08 (24"). SEE SHEET #13 OF ARRANGEMENT DRAWINGS FOR CABLE CHART.
 - 5. IF A 3 INCH BACKPLANE IS CONFIGURED, CAB-CAB CABLES PLUG INTO OPTION SLOT #1. OTHERWISE CAB-CAB SBI CABLES PLUG INTO SLOT #2.




Figure 5-7 Ribbon Cable Interconnections




Figure 5-8 DW780 Jumper Plugs

6.1 GENERAL

Installation of the DR780 consists of installing an H7100 power supply, the DR780 backplane assembly, and in some instances an SBI expander cabinet.

CAUTION

The modules that comprise the DR780 contain components that could be damaged by electrostatic discharge. Do NOT handle without the use of a Velostat Kit, CD Kit #A2-W0299-10, or other approved antistatic material. Install the Velostat kit per Chapter 3.

6.2 DR780 POWER SUPPLY INSTALLATION

- Turn off the system per Figure 4-1.
- 2. Remove the power supply blank cover from power supply mounting chassis and replace it with the H7100 power supply.
- Secure the power supply at the back with the slide locking assembly.
- 4. Connect the two black cables (P/N 7014249-OL) to the return (ground) terminals on the power supply.
- 5. Connect the two red cables (P/N 7014530-OL) to the +5 volt terminals on the power supply.
- 6. Connect the ac/dc lo cable to the power supply (P/N 70-14212-OM).

NOTE

Pl connects to J3 on power supply.

- 7. Connect the overtemperature cable (P/N 7014213-OK) J4 at the back of the power supply.
- 8. Connect the power supply ac power cable to the power distribution box on the switched side (lower left) of the cabinet. Connect the female end of ac power cord to the front of the power supply.

6.3 SYSTEM FAR-END TERMINATOR (SFT) RELOCATION

1. At the back of the cabinet remove and save the six SBI jumper cables (170087-01) connecting J1 through J6 of the SFT to J1 through J6 of the adjacent backplane to the 1 right of the SFT.

- Disconnect the cable harness plugs from SFT jacks J7, J8, and J9.
- 3. Remove and save the ten screws that hold the SFT to the blank panel and then remove the SFT.
- 4. Mount the SFT on a blank panel to the left of the 4-inch option slot that will contain the DR780 backplane assembly.
- 5. Secure the SFT to the blank panel using the ten screws saved in step 3.

6.4 DR78Ø BACKPLANE INSTALLATION

- 1. Remove the blank panel from the next available 4-inch option slot.
- 2. Install the DR780 backplane assembly (Figure 6-1) in the option slot using the mounting hardware supplied.
- 3. Install the following jumper wires on the DR780 backplane.
 - a. TR Level Jumper -- TR arbitration level jumpers for the first DR780 (W1, W2, and W4) are IN for a TR number of 12. TR arbitration level jumpers for the second DR780 (W4 and W3) are IN for a TR number of 13.
 - b. TR Wirewrap -- Wirewrap BUS SBI TRXX L for DR780 at TR12 from F02L2 to F02S2. Wirewrap BUS SBI TRXX L for the DR780 at TR13 from F02L2 to F02T2.
 - c. BR Level Jumpers -- Configure jumpers W5 and W6 for a BR of six (6); W5 IN, W6 OUT.
 - d. DI Clock Jumper Select -- If the DR780 is to be the clock source for the DI, then jumper W8 on back panel should be removed and stored on any backplane jumpered pins from W9 through W12 (these jumpers not used by the DR780). If the customer's device is to be the clock source for DDI, then install the jumper on pin W8.




Figure 6-1 DR780 Backplane Details

e. MSEL Jumper Select -- Install the jumper at W7 if the DR780 is not to perform DDI arbitration or be the master device. If the DR780 is to be the master device, the jumper should be installed on any pins from W9 through W12.

NOTE

In a DR780 interface to DR780 interface only one device should drive MSEL and supply the clock.

- f. Disable Wirewrap Selection There are two signals, disable A to B and disable B to A. If the DR780 is device A, then wirewrap E03R1 to E03T2 and E03R2 to E03F2. If the DR780 is device B, then wirewrap E03R1 to E03F2 and E03R2 to E03T2.
- 4. Connect the ac/dc lo cable (7014212-0M) P2 to connector J14 of the DR780 backplane.
- 5. Install the two black power supply ground cables (7014530-0L) from the power supply ground to the left terminals of the power connectors which are on the backplane of the DR780.
- 6. Install the two red power supply +5 volt cables (7014249-0L) to the right terminals of the power connectors which are on the back panel of the DR780.
- 7. Install plug P3 of the --5 volt cable (7015630-00) to connector J15 of the DR780 backpanel.
- 8. Install six SBI jumper cables from J7 through J12 on the DR780 backplane to J1 through J6 on the adjacent backplane to the right of the DR780.
 - a. Use 4-inch jumper cables (1700087-00) if both backplanes are mounted in the same cabinet and are immediately adjacent to one another.
 - b. Use 18-inch jumper cables (1700087-03) if the DR780 is the first assembly mounted in an SBI expander cabinet.

NOTE

Always connect SBI jumper cables with the "SIGNAL" label on the outside of the loop.

- 9. Install the DR780 paddle card (M9046-0-0) to the connector slot on the back panel of the DR780. This card should mount into the connector with the 40-pin connectors facing the right side of the cabinet.
- 10. Connect the three ribbon cables (BC06R-10) to the DR780 paddle card connectors A, B, and C (Figures 6-2 and 6-3).
 - a. Label the cables appropriately before installing them. Be sure that the red stripe on the cable faces the DR780 backplane.
 - 1) Cable BC06R-10 connects to the I/O connector panel in the back of the cabinet.
 - 2) Cable BC06R-25 connects the DR780 to customer's interface in a UNIBUS or magtape cabinet from the CPU I/O panel.
 - b. Route the BC06R-10 cables up toward the top of the card cage and to the left side of the cabinet.
 - c. Route the cables down the left side of the cabinet to:
 - 1) The cable trough located above the power supply chassis, then to right side of the system, if the cable is to connect to CPU I/O panel.
 - 2) Cabinet-to-cabinet I/O panel if the DR780 is to interface with the customer's interface in the adjacent cabinet.
 - d. Connect the opposite ends of the three BC06R-10 cables.
 - 1) To the I/O cable connector

Cable Connector I/O Cable Connector Slot

A A B B C C

2) To the cabinet-to-cabinet I/O panel

Cable Connector I/O Expander Panel Connector

A J9 B J8 C J7




Figure 6-2 DR780 Cable Route to CPU Cabinet




Figure 6-3 DR780 Cable Route in SBI Expansion Cabinet

- e. If the DR780 is connected to an external cabinet away from the VAX system, install the I/O connector to the CPU I/O panel located at the back of the cabinet. The I/O cable connector (7013678-00) is fastened to the I/O cable connector panel with four screws and nuts. The I/O cable connector goes into slot J3 for the SBI expander cabinet and into slot J4 of main CPU cabinet. The red stripe on each cable should face up from the bottom of the cabinet.
- 11. Connect the large BC06V I/O cable from slot J3 on SBI expander cabinet, or slot J3 or J4 from the main CPU cabinet to the customer's connector.

6.5 DR78Ø DIAGNOSTICS
To test a DR78Ø which is not configured as a two-DR78Ø two-CPU link, perform the following:

- 1. Disconnect the DR780 from the BDI by pulling the paddle card and removing the BC06V-25 cable.
- Connect a jumper from DR780 backplane pin E04Ml in pin E04Rl.
- 3. Connect a jumper from DR780 backplane pin E04M2 to pin E04R2.
- 4. Remove W7 and W8 from the DR780 backplane.
- 5. Turn on the system (Figure 4-3).
- 6. Initialize and unjam the SBI via the console commands:

INIT UNJAM

- 7. Load the diagnostic supervisor ESSAA.EXE using the command BOOT or LOAD ESSAA.EXE/ST:FE00 (from the diskette) or RUN ESSAA (for user mode diagnostic).
- 8. Insert one of the two DR780 diagnostic diskettes into the drive.
- 9. Load the desired diagnostic program by its designation letters using the command LOAD.

"LOAD ESDF?" where ?=A, B, C (on diskette #1) or
"LOAD EVDF?" where ?=D (on diskette #2)

10. Attach the device to be tested using the command ATTACH. Check the individual diagnostic listing for a complete list.

ESDFA -- This is a standalone diagnostic package that uses its own microcode to test all DR780 registers, the data path, and the DUP microsequencer.

ESDFB -- This is a standalone diagnostic package that uses its own microcode to test the functions of the DR780 Control Board (DCB) and DR780 microprocessor board (DUP).

ESDFC -- This is a standalone diagnostic package that uses its own microcode to test all functions used by the DR780 silo module (DSM), and the out of sequence logic on the DR780, located on the DSC and DCB.

This program exercises the DR780 with the standard DR780 microcode. It is a standalone diagnostic package that checks the correct functioning of the DR780 by performing actual data transfers with different block sizes, and in different error and nonerror modes. The exercising of the DR780 is performed with all command types, with and without data chaining. ESDFD loads a copy of WCS file into the DR780 so it can be used to run the ESDFF error program.

ESDFE -- This diagnostic package is a standalone diagnostic used to test the CPU-to-CPU function of the DR780 by using two DR780s. ESDFF cannot be operated if the microcode has not been loaded.

ESDFF -- This diagnostic package is similar to ESDFD, but it tests the DR780 in user mode.

ESDFG -- This package is similar to ESDFE, but it tests the DR780 in user mode.

6.6 LOADING THE DR780 MICROCODE
Use the following procedure to load the DR780 microcode from the diskette.

NOTE

The microcode must be loaded into the DR780 each time the DR780 is power enabled.

 Log in as the system manager by getting the customer to log on. Once the system is available for use under the system manager, type:

\$ SET DEFAULT [SYSUPD]

3. Load the DR780 microcode diskette in the disk unit, type:

\$ @VMSUPDATE

- 4. Answer the question asked by the system.
- 5. Remove the diskette from the disk unit, type:

\$ RUN SYS\$SYSTEM:XFLOADER

This loads the DR780 microcode into the WCS RAM of the DR780.

It is recommended that the above command be put into the system startup file.

- 6.7 USING UETP TO TEST DR78Ø
 The following must be done in order to use the User Environment
 Test Package (UETP).
 - 1. The DDI cable must be disconnected from the DR780 to be tested. If this cable is BC06V-*, it is located at the bottom of the back of the cabinet that holds the DR780. If this cable is BC06B-R, then the paddle card should be removed from the backplane and the appropriate jumpers installed (see step 3).
 - 2. The file XF78Ø.ULD (DR78Ø microcode file) must exist in SYS\$SYSTEM:. It must be copied to the system disk from the diagnostic media.
 - 3. With the DR78Ø power removed the following backplane jumper changes must be made.
 - a. Remove the jumpers from W7 and W8 (at the top of the backplane).
 - b. Add the jumpers from EØ4Ml to EØ4Rl.
 - c. Add the jumpers from E04M2 to E04R2.
 - d. Refer to UETP User's Guide (AA-D643A-TE) for startup of the UETP.

7.1 GENERAL

The MASSBUS adapter (MBA) RH780 is the hardware interface between the SBI and high speed MASSBUS storage devices. The MBA installation kit includes:

- RH78Ø card cage and backplane assembly
- 1 H7100 power supply
- Blank SBI slot panel
- Interconnecting cables
- Expansion cabinet RH78Ø decal

CAUTION

The modules that comprise the RH780 contain components that could be damaged by electrostatic discharge. Do NOT

handle without the use of a VELOSTAT TM Kit, CD Kit #A2-W0299-10, or other approved antistatic material. Install

the VELOSTATTM kit per Chapter 3.

7.2 RH780 POWER SUPPLY (H7100) INSTALLATION
Turn off the system (Figure 4-1). Determine the use of H7100 included in the option installation kit (Figure 5-1). If an H7100 is not required inform the customer of H7100 spare status then proceed with the option installation procedure. If an H7100 is required, remove the blank power supply panel. Install the H7100 with the mounting hardware and the slide lock (Figure 5-2).

7.3 SYSTEM FAR-END TERMINATOR RELOCATION

7.3.1 SFT Removal

- 1. Open the back door of the CPU cabinet and remove the six SBI jumper cables connecting the SFT to the unit mounted to the right of the SFT.
- 2. Disconnect the cable harness plugs from SFT jacks J7, J8, and J9.
- 3. Remove and save the two screws that hold the SFT to the blank panel.
- 4. Mount the SFT in the SBI expansion cabinet on a blank panel to the left of the 4-inch option slot where the DW780 is to be installed.

- 5. Secure the SFT to the blank panel using the ten screws saved in step 3.
- 6. Connect plugs P7, P8, and P9 from the cabinet harness to SFT jacks J7, J8, and J9.

7.4 RH78Ø INSTALLATION

- 1. Remove the two screws holding the blank option panels in the CPU expansion cabinet (where the RH780 will be installed) then remove the two panels.
- 2. Install the RH780 attaching it to the top and bottom of the cabinet card cage with the four screws provided in the installation kit.
- Install the RH780 paddle card (Figure 7-1).

7.5 RH78Ø INTERCONNECTING CABLE

7.5.1 H7100 Cabling

- 1. Interconnect the RH780 and the H7100 (Figure 5-4).
- 2. Connect the primary H7100 power cable (Figure 5-5).
- 3. Route the power supply wiring (Figure 5-6).

7.5.2 SFT Cabling Interconnect the SBI cables to RH780 with the six ribbon cables (Figure 5-7).

7.5.3 RH78Ø Cabling

If the RH780 is the last NEXUS in the CPU cabinet and a H9602-HA (SBI expander cabinet) is present, connect the two cabinets via six 18-inch ribbon cables (Figure 5-7).

7.6 RH78Ø JUMPER PLUGS

Install the jumper plugs (Figure 7-2).

- 1. Select TR8-11 via a jumper plug.
- 2. Select BR level 5 via a jumper plug.

7.7 SYSTEM TURN-ON

Turn on the system (Figure 4-3) then perform RH780 diagnostics.

7.8 RH780 DIAGNOSTICS Run one pass each with the following diskettes:

- 1. ESKAH
- 2. ESKAJ
- 3. ESKAA

NOTE

Run diagnostics for devices attached to the MASSBUS. See EVNDX for appropriate diag-4 UETP.




Figure 7-1 RH780 Installation Details





Figure 7-2 Transfer Request Arbitration, Interrupt Level Details



CHAPTER 8 MOS MEMORY ASSEMBLY MS780-C/D, MS780-EC/ED

8.1 MS78Ø-C/D

MOS memory assembly MS780-C/D is a 512 Kbyte ECC MOS, 16K chip memory with a controller. It is installed in an H9652-HA/HB expansion cabinet. The MS780-C/D installation kit includes:

- 1. MS780-C/D card cage and modules
- 2. H7100 power supply (PN 70-14957)
- 3. Blank SBI slot panel
- 4. Interconnecting cables
- 5. Expansion cabinet MS780-C/D decal

NOTE

The Part I, Chapter 3 static discharge system set-up procedure must be performed during unpacking and inspection to prevent damage to MS780-C/D from static electricity discharges.

- 8.1.1 MS780-C/D Power Supply Installation
 - 1. Turn off the system per Figure 4-1.
 - 2. Remove the blank power supply panel.
 - 3. Install the H7100, using the mounting hardware and the slide lock (Figure 5-2).
- 8.1.2 System Far-End Terminator (SFT) Relocation
 - 1. Open the CPU cabinet back door and remove the six SBI cables interconnecting the SFT and the adjacent unit.
 - 2. Disconnect the power plugs from SFT jacks J7, J8, and J9.
 - 3. Remove the SFT mounting hardware and carefully remove the SFT from the back of the CPU cabinet.
 - 4. Replace the SFT with a blank SFT slot panel, using the screws provided in the installation kit.
 - 5. Install the SFT in the back of the CPU expansion cabinet to the left of the space for the DW780 installation.
 - 6. Attach the SFT to the top and bottom of the CPU expansion cabinet card cage, using the screws removed from the CPU cabinet.

8.1.3 MS780-C/D Card Cage Assembly Installation

- 1. Remove the four blank option panels (to the right of the SFT) in the CPU expansion cabinet where the MS780 C/D card cage assembly will be installed.
- 2. Install the MS780-C/D card cage assembly.
- 8.1.4 Interconnecting Cabling
 - 1. Perform H7100 cabling per Figures 5-4 through 5-6.
 - 2. Interconnect the SFT and the MS780-C/D via six ribbon cables per Figure 5-7.
 - 3. Interconnect the MS780-C/D with the last unit in the CPU cabinet via six 18-inch ribbon cables per Figure 5-7 and 8-1.
 - 4. Secure the intercabinet cabling with the tie wraps.
- 8.1.5 Starting Address, Transfer Request Strapping Install starting address and transfer request strapping per Figure 8-2.
- 8.1.6 Fail Strapping, IRD Jumper Install fail strapping and the IRD jumper per Figure 8-3, MS780-E installation procedure.
- 8.1.7 Decals
 Install MS780-C/D decals in the CPU expansion cabinet.
- 8.1.8 MS780-C/D Diagnostics Run the following diagnostics:
 - 1. ESKAH (microdiagnostic no. 1)
 - 2. ESKAJ (microdiagnostic no. 2)
 - 3. UETP

NOTE

Part I, Chapter 2 describes how to run diagnostics.

8.2 MOS MEMORY ASSEMBLY MS780-EC/ED The MS780-EC (120V, 60 Hz) and the MS780-ED (240V, 50Hz) are 2-Mbyte memory assemblies that are installed in a CPU cabinet or an expander cabinet. The unused modules slots in the MS780-EC/ED ll-inch backplane can be completely populated with MS780-F memory assemblies to produce a 16-Mbyte MS780-E.

An MS780-EC/ED installation kit includes:

- 1. 11-inch Card cage/20-slot backplane assembly
- 2. H7100 power supply (PN 70-14957)

- 3. AC DC LO cable
- 4. Black power return cable
- 5. Over-temperature cable
- 6. +5B cable
- 7. Two M8373 1-Mbyte memory modules
- 8. Two M8375 memory controller modules
- 9. M8376 SBI interface module
- 10. Blank modules
- 11. AWT revision status decal

Table 8-1 lists the Mbyte size of MS780-F memory assemblies used to expand an MS780-EC/ED.

Table 8-1 MS780-F Memory Assemblies - Mbyte Sizes

| Size | No. of M8373 Modules |
|----------|--|
| 2 Mbyte | 2 |
| 4 Mbyte | 4 |
| 6 Mbyte | 6 |
| l Mbyte | 1 |
| lø Mbyte | 10 |
| | 2 Mbyte 4 Mbyte 6 Mbyte 1 Mbyte |

8.2.1 MS780-EC/ED Installation Install the MS780-E per Figure 8-3.

NOTE

The Part I, Chapter 3 static discharge system procedure must be performed during unpacking and inspection to prevent damage to the MS780-EC/ED from static electricity discharges.

8.2.2 MS780-E Diagnostics

NOTE

Part I, Chapter 2 describes how to run diagnostics.

- Turn on the system per Figure 4-3 and run microdiagnostics
- 2. Boot VMS
- 3. Run UETP





Figure 8-1 MS780-C/D Installation Details


NOTE


INSTALL FAIL STRAPPING, IRD JUMPER PER FIGURE 8-3 OF THE MS780-E INSTALLATION PROCEDURE.



TK-7227

Figure 8-2 MS780-C Starting Address, Transfer Request Arbitration Level Details






- (3) OPEN THE FRONT AND BACK DOORS ON THE EXPANDER CABINET
- 4 SLIDE THE AIR PANELS AT THE FRONT OF THE EXPANDER CABINET TO THE RIGHT

Figure 8-3 MS780-E Installation Procedure (Sheet 1 of 14)

5 REMOVE THE SIMULATOR PANELS FROM OPTION SLOTS 1, 2, AND 3 IN THE EXPANDER CABINET

NOTE

IF SLOTS 1, 2, AND 3 ARE OCCUPIED THE EQUIPMENT MUST BE REMOVED AND RELOCATED TO SLOTS 4, 5, AND 6. THIS WILL REQUIRE THAT THE SFT BE A M9040 IN SLOT 1 OF THE MS780-E BACKPLANE



- 6 REMOVE THE SIX SBI CABLES INTERCONNECTING THE SFT AND THE ADJACENT UNIT
- $\left(\begin{array}{c}7\end{array}\right)$ DISCONNECT THE POWER PLUGS FROM SFT JACKS J2, J8, AND J9
- 8 REMOVE THE SFT MOUNTING HARDWARE AND CAREFULLY REMOVE THE SFT FROM THE BACK OF THE CPU CABINET
- 9 INSTALL THE SFT IN THE BACK OF THE CPU EXPANSION CABINET TO THE LEFT OF THE SPACE WHERE THE MS780-E WILL BE INSTALLED
- 10 ATTACH THE SFT TO THE TOP AND BOTTOM OF THE CPU EXPANSION CABINET CARD CAGE, USING THE SCREWS REMOVED FROM THE EXPANSION CABINET
- 11 INSTALL THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY IN OPTION SLOTS 1, 2, AND 3

Figure 8-3 MS780-E Installation Procedure (Sheet 2 of 14)

SECURE THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY WITH THREE (3)
SCREWS AT THE FRONT BOTTOM AND THREE SCREWS AT THE BACK TOP

UNLOCK THE SLIDE LOCK AND REMOVE THE SCREW SECURING THE SIMULATOR PANEL IN POWER SUPPLY SLOT 1

REMOVE THE SIMULATOR PANEL FROM POWER SUPPLY SLOT 1

NOTE

IF A POWER SUPPLY HAS BEEN INSTALLED IN POWER SUPPLY SLOT 1 (NO SIMULATOR PANEL IN SLOT 1) REMOVE IT AND INSTALL IT IN POWER SUPPLY SLOT 2


CAUTION

ONLY AN MS780-E POWER SUPPLY (P/N E-IA-7018759-0-0) CAN BE USED WITH AN MS780-E MEMORY ASSEMBLY

- (15) INSTALL THE MS780-E POWER SUPPLY AT THE FRONT OF THE EXPANDER CABINET IN POWER SUPPLY SLOT 1
- 16 SECURE THE MS780-E POWER SUPPLY AT THE REAR OF THE EXPANDER CABINET WITH THE SLIDE LOCK ASSEMBLY

Figure 8-3 MS780-E Installation Procedure (Sheet 3 of 14)

- (17) SECURE THE POWER SUPPLY AT THE TOP FRONT WITH ONE SCREW
- INSTALL TWO BLACK MEMORY POWER RETURN CABLES (P/N 7014250-0K) FROM THE BLACK +5 RET (GND) OUTPUT BUS CONNECTOR ON THE POWER SUPPLY TO J15 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY



(19) INSTALL TWO RED MEMORY +5 POWER CABLES (P/N 7014529-0K) FROM THE RED +5 OUTPUT BUS CONNECTORS ON THE POWER SUPPLY TO J18 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY





Figure 8-3 MS780-E Installation Procedure (Sheet 4 of 14)

INSTALL THE +5B CABLE (P/N 7019586-0K) FROM THE 15-PIN CONNECTOR ON THE POWER SUPPLY TO J14 AND J17 ON THE MS780-E BACKPLANE/CARDCAGE ASSEMBLY



- 21) SECURE THE POWER BUS WIRING (TWO RED AND TWO BLACK) AT THE POWER SUPPLY AND AT J15 AND J18 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY WITH LOCKNUTS
- (22) INSTALL A PLASTIC COVER ON J15 AND J18 OF THE MS780-E CARDCAGE/ BACKPLANE ASSEMBLY
- 23 SECURE THE PLASTIC COVER WITH PLASTIC SAFETY ACORN NUTS





Figure 8-3 MS780-E Installation Procedure (Sheet 5 of 14)

CONNECT THE AC DC LO CABLE (P/N 7014212-1C) FROM THE J13 POWER FAIL JACK ON THE POWER SUPPLY TO J20 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY



- 25 CONNECT THE -5.2 CABLE (P/N 7015073-00) PLUG P5 TO JACK J19 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY
- CONNECT THE OVERTEMPERATURE CABLE (P/N D-IA-14213-Ø-ØØØ) FROM JACK J5 ON THE POWER SUPPLY TO J5 OF THE PRECEDING POWER SUPPLY IN THE CPU CABINET

Figure 8-3 MS780-E Installation Procedure (Sheet 6 of 14)

CONNECT J4 (OTHER OVERTEMPERATURE CABLE) ON THE POWER SUPPLY TO J4 ON THE FOLLOWING POWER SUPPLY.

NOTE

IF THERE IS NO FOLLOWING POWER SUPPLY OMIT THIS CABLE

NOTE

THE OVERTEMPERATURE CABLING IS DAISY-CHAIN CONNECTED FROM ONE POWER SUPPLY TO THE NEXT USING J4 AND J5 ON EACH POWER SUPPLY. THEREFORE, THE JACK NUMBER IS DETERMINED BY THE PRECEDING POWER SUPPLY AND CAN BE EITHER J4 OR J5 (WHICHEVER ONE IS UNUSED).

- (28) INSTALL THE SIX 18-INCH RIBBON CABLES FROM MS780-E J7 THROUGH J12 TO THE LAST DEVICE IN THE CPU CABINET
- 29 INSTALL THE SIX RIBBON CABLES FROM THE MS780-E TO THE SFT (M9043)

NOTE

NO CABLE CONNECTION IS MADE TO J16 ON THE MS780-E CARDCAGE/BACKPLANE ASSEMBLY

Figure 8-3 MS780-E Installation Procedure (Sheet 7 of 14)

| 30 | DETERMINE CONFIGURATION | | REQUEST (TR) | | JUMPER(S), STRAPPING | | | | |
|----|----------------------------|---------|--------------|-----------------------------|------------------------------------|--------------------------------|--|---|--|
| | MEMORY SUBSYSTEM | DIIC MD | J21 | 1 PIN PAIRS | | CONNECT BACKPLANE WIRE (STRAP) | | | |
| | | | н, Ј | E,F | C,D | A,B | • | | |
| | 1 | 1 | - | - | - | - | FllBl | | |
| | 2 | 2 | - | - | - | I | FllEl | | |
| | 3 | 3 | - | - | I | - | FllDl | | |
| | 4 | 4 | _ | - | I | I | F11F2 | | |
| | | NOTES: | 1. | I : | = JU | MPER IN | NSTALLED | | |
| | | | 2. | - : | = JU | MPER NO | OT INSTALLED | | |
| | | | 3. | MAI | NUFA | CTURED | MEMORY ASSE AS MEMORY HUS HAVE F11S | CONTROLLER | |
| | | | 4. | FIC MS MS LE AL | GURE 780- 780- VEL L O | D WITC MEMORE MUST AND RETHER | -11/780 WILL TH BOTH MS RY ASSEMBLIES T BE AT TH HAVE ITS ROM MEMORY SUBSY DECODE. | 780-E AND , THEN THE E LOWER TR S ENABLED. | |

Figure 8-3 MS780-E Installation Procedure (Sheet 8 of 14)

(31) INSTALL TRANSFER REQUEST(TR) JUMPER(S) AND WIRE STRAPPING

| FOR TR1 CONNECT WIRE | FROM Fllsl = | ROW F SLOT 11 SECTION S PIN 1 |
|----------------------------|-----------------|--|
| STRAPPING [JUMPER(S)] | TO FllBl = | ROW F SLOT 11 SECTION B |




Figure 8-3 MS780-E Installation Procedure (Sheet 9 of 14)

(32) DETERMINE FAIL STRAPPING CONFIGURATION

MEMORY

| SUBSYSTEM | NO. | CllR | 1 | то | ClV2 |
|-----------|-----|------|----|-----|-------|
| 1 | | INST | ΆΙ | LEI |) |
| 2 | | NOT | I | IST | ALLED |
| 3 | | NOT | 11 | IST | ALLED |
| 4 | | NOT | 11 | IST | ALLED |

NOTE

FAIL STRAPPING

FOR SYSTEMS EQUIPPED WITH BOTH MS780-C AND MS780-E MEMORY SUBSYSTEMS THE MS780-E MUST BE DESIGNATED SUBSYSTEM NO. 1 (THE MEMORY CONTROLLER)

(33) INSTALL FAIL STRAPPING




Figure 8-3 MS780-E Installation Procedure (Sheet 10 of 14)

(34) DETERMINE IRD (INHIBIT ROM DECODE) JUMPER CONFIGURATION

| MEMORY SUBSYSTEM NO. | IRD JUMPER J21-AA TO J21-BB |
|-------------------------|--------------------------------|
| 1 | NOT USED |
| 2 | INSTALLED |
| 3 | INSTALLED |
| 4 | INSTALLED |
| | |

NOTE

FOR SYSTEMS EQUIPPED WITH BOTH MS780-C AND MS780-E MEMORY SUBSYSTEMS THE MS780-E MUST BE DESIGNATED SUBSYSTEM NO. 1 (THE MEMORY CONTROLLER)

(35) INSTALL IRD JUMPER

NOTE

JUMPER CONFIGURATION SHOWN IS FOR MEMORY SUBSYSTEM 1 IN CPU CABINET, AND MEMORY SUBSYSTEM 2, 3, AND 4 (MS780-Es) IN EXPANDER CABINET

NOTE

JUMPER CONFIGURATION SHOWN IS FOR MEMORY
SUBSYSTEM 1 IN CPU CABINET, AND MEMORY
SUBSYSTEM 2, 3, AND 4 (MS780-Es) IN
EXPANDER CABINET

MS780-E
BACKPLANE

Figure 8-3 MS780-E Installation Procedure (Sheet 11 of 14)

| (36) | DETERMINE | STARTING | ADDRESS | JUMPER | AND | STRAPPING | (WIRE) |
|------|------------|----------|----------------|--------|-----|-----------|--------|
| | CONFIGURAT | ION | | | | | |

| MEMORY SUBYSTEM NO. | J21-UU JUMPER | J21-SS JUMPER | MEMORY SUBYSTEM STARTING ADDRESS AFTER COLD POWER START UP ONLY* |
|---------------------------|------------------|------------------|--|
| 1 | NOT USED | NOT USED | Ø MEGABYTE |
| 2 | NOT USED | INSTALLED | 16 MEGABYTE |
| 3 | INSTALLED | NOT USED | 32 MEGABYTE |
| 4 | INSTALLED | INSTALLED | 48 MEGABYTE |

^{*} STARTING ADDRESS STRAPPING IS USED ONLY BY THE MEMORY ON COLD POWER STARTUP SO EACH MEMORY ASSUMES SOME UNIQUE PREDEFINED ADDRESS; THE ACTUAL OPERATING STARTING ADDRESS IS LOADED TO EACH MEMORY SUBSYSTEM BY THE SOFTWARE.

(37) INSTALL STARTING ADDRESS STRAPPING

NOTE J21-SS/J21-TT JUMPER SHOWN INSTALLED FOR A 16-MBYTE STARTING ADDRESS

J21-SS/J21-TT JUMPER SHOWN INSTALLED FOR A 16-MBYTE STARTING ADDRESS. UU SS MS780-E BACKPLANE

Figure 8-3 MS780-E Installation Procedure (Sheet 12 of 14)



INSTALL THE MS780-E MODULES IN THE ASSIGNED SLOTS PER THE MODULE UTILIZATION DECAL

CAUTION

DO NOT INSTALL AN M8375 CONTROLLER MODULE IN CARDCAGE SLOT 11; INSTALLATION OF AN M8375 IN SLOT 11 WILL CAUSE THE MODULE TO BE DAMAGED.

| ١ | MODULE | UTILIZATION MS780 | E/F | |
|--|--------|-------------------|-----------|--|
| 20 | M8373 | 1MB | * | |
| 19 | M8373 | 1MB | * | |
| 18 | M8373 | 1MB | * | |
| 17 | M8373 | 1MB | -# | |
| 16 | M8373 | 1MB | -# | |
| 15 | M8373 | 1MB | * | |
| 14 | M8373 | 1MB | * | |
| 13 | M8373 | 1MB | | |
| 12 | M8375 | UPPER CONTROLLER | | |
| 11 | M8376 | SBI INTERFACE | | |
| 10 | M8375 | LOWER CONTROLLER | | |
| 9 | M8373 | 1MB | | |
| 8 | M8373 | 1MB | * | |
| 7 | M8373 | 1MB | * | |
| 6 | M8373 | 1MB | * | |
| 5 | M8373 | 1MB | * | |
| 4 | M8373 | 1MB | * | |
| 3 | M8373 | 1MB | # | |
| 2 | M8373 | 1MB | * | |
| 1 | M9040 | SBI TERMINATOR | * | |
| OPTIONAL IF NOT INSTALLED USE BLANK MODULE 7014103 | | | | |

PART NO 3614746-01


TK-10220

(39) UNIFORMLY REPOSITION THE AIR CONTROL PANELS IN THE EXPANDER CABINET

Figure 8-3 MS780-E Installation Procedure (Sheet 13 of 14)

- SET THE CIRCUIT BREAKER ON THE MS780-E POWER SUPPLY TO THE ON (UP) POSITION
- (41) CLOSE THE EXPANDER CABINET FRONT AND BACK DOORS
- 42 SET THE MAIN POWER CIRCUIT BREAKER AT THE LOWER BACK OF THE CPU CABINET TO ON (UP)
- (43) SET THE KEYSWITCH ON THE CPU CABINET CONTROL PANEL TO LOCAL
- 44 INSTALL THE MS780-EC/ED AWT REVISION STATUS DECAL ON THE RIGHT OR LEFT FRONT DOOR FRAME
- (45) PERFORM MS780-E DIAGNOSTICS PER PARAGRAPH 8.2.2

Figure 8-3 MS780-E Installation Procedure (Sheet 14 of 14)



CHAPTER 9 C1780 COMPUTER INTERCONNECT ADAPTER

9.1 GENERAL

The Computer Interconnect (CI) is a high-speed, serial data bus that is used to link computer subsystems (nodes) together to form a CI cluster. The CI780-AA/AB is the VAX-11/780 interface to the Computer Interconnect.

The CI installation kit includes:

- 1. Backplane/Cardcage Assembly with four extended hex "L" series modules
- 2. H7100 power supply
- 3. TX/RX Cable sets (2) with attached bulkhead connectors
- 4. Black power cables (2)
- 5. Red power cables (2)
- 6. SBI Cables (6)
- 7. AC/DC LO cable
- 8. Overtemperature cable
- 9. -5V cable
- 10. Blank module assembly

The CI780 can be installed in the CPU cabinet or in an SBI expansion cabinet.

CAUTION

The modules that comprise the CI780 contain components that could be damaged by electrostatic discharge. Do NOT

handle without the use of a VELOSTAT TM Kit, CD Kit #A2-W0299-10, or other approved antistatic material. Install the VELOSTAT kit per Chapter 3.

9.2 INSTALLATION

9.2.1 System Shut-Down

NOTE

Check with the system manager before shutting the system down.

- 1. Shut down the system from the console terminal.
 - a. Login to the "SYSTEM" account
 - b. Run "SHUTDOWN" by:

typing @SYS\$SYSTEM:SHUTDOWN, and answering the questions asked by the program

- 2. Set the front panel keyswitch at the top front of the CPU cabinet to the "OFF" position.
- 3. Set the main power circuit breaker at the lower back of the CPU cabinet to the off (down) position.
- 4. Disconnect the primary power cable from the power outlet.
- 9.2.2 CI78Ø CPU Cabinet Installation
- 9.2.2.1 Power Supply Installation (CPU Cabinet) -

NOTE


If the CI780 and another VAX-11./780 option are to be operated via a common power supply the H7100 MUST be P/N 7014956 (with the H7101 -5V regulator). Remove the existing option power supply in step 2 below.

- 1. Open the front and back CPU cabinet doors.
- 2. Remove the option power supply panel (Figure 9-1).
- 3. Carefully slide the H7100 power supply (P/N 7014956) into the empty slot from the front.

NOTE

Be sure to align the rear locking pin of the power supply to the hole at the back of the mounting chassis.

- 4. Secure the front of the power supply to the chassis with an 8 x 32 screw.
- 5. Secure the power supply locking pin with chassis slide lock assembly (Figure 9-2).
- 9.2.2.2 Backplane Assembly Installation (CPU Cabinet) -
 - 1. At the back of the cabinet remove and save the six 12" SBI jumper cables (P/N 1700087-01) connecting J1 through J6 of the System Far End Terminator (SFT) to J1 through J6 of the adjacent backplane to the right of the SFT.



FRONT VIEW

Figure 9-1 Option Mounting Slots - Location Diagram




Figure 9-2 Power Supply Slide Lock Assembly

TE-2774

These cables will be used to interconnect the CI780 and the SFT.

- 2. Remove the blank panel from the next empty 4" option slot (Figure 9-1).
- 3. Carefully slide the CI780 backplane assembly into the empty slot from the back of the cabinet.
- 4. Secure the backplane assembly to the front and back of the chassis using four 8 X 32 screws.
- 5. Install the CI780 Module Utilization Label (P/N 3618809-01) on the front inside, left vertical cabinet channel.
- 6. Continue with paragraph 9.2.5 excluding step 1.
- 9.2.3 CI78Ø SBI Expansion Cabinet Installation
- 9.2.3.1 System Shut-Down Shut Down The System Per Paragraph 9.2.1 -
- 9.2.3.2 Power Supply Installation (In H9652) -

NOTE

If the CI780 and another option are to receive power from a common power supply an H7100 with an H7101 -5V regulator (P/N 7014956) MUST be the power supply used. Remove the existing power supply per step 2 below.

- 1. Open the front and back expansion cabinet covers.
- 2. Remove the option power supply panel from the next empty power supply slot (Figure 9-3).
- 3. Carefully slide the H7100 power supply (P/N 7014956) into the empty slot from the front and then secure it with the slide lock assembly.
- 4. Secure the front of the power supply to the chassis with an 8 X 32 screw.
- 9.2.3.3 System Far-End Terminator (SFT) Relocation -
 - 1. Remove and save the six 12" SBI jumper cables (P/N 1700087-01) connecting Jl through J6 of the System Far End Terminator (SFT) to Jl through J6 of the adjacent backplane to the right of the SFT.




Figure 9-3 Expansion Cabinet Option Mounting Slots

- Disconnect the cable harness plugs P7, P8, and P9 from the lower portion of the SFT.
- 3. Remove and save the ten screws that hold the SFT to the blank panel and then remove the SFT.
- 4. Mount the SFT on a blank panel to the left of the 4" option slot that will contain the CI780 backplane assembly (Figure 9-3).
- 5. Secure the SFT to the blank panel using the ten screws saved in step 3.
- 6. Connect plugs P7, P8, and P9 from the cabinet cable harness to J7, J8, and J9 on the SFT.

9.2.4 Backplane Assembly Installation (In H9652)

- 1. Remove the blank panel from the 4" option slot where the backplane assembly (Figure 9-3) will be installed.
- 2. Carefully slide the backplane assembly (P/N 7017654) into the empty slot from the back of the cabinet and secure it with four 8 X 32 screws.
- 3. Install the CI780 Module Utilization label (P/N 3618809-01) on the inside of the left vertical cabinet channel.

9.2.5 Cable Interconnections

- 1. Remove the exhaust plenum from the lower rear of the cabinet.
- 2. Interconnect an unused switched outlet on the power controller (Figure 9-4) and Jl on the power supply (Figure 9-5) with the AC power cable.
- 3. Secure the two BLACK cables (P/N 7014249-0L) from the backplane assembly to the RETURN terminals on the LEFT side of the power supply output bus, using two 10×32 screws and lock washers (Figure 9-6).
- 4. Secure the two RED cables (P/N 7014530-0L) from the backplane assembly to the +5V terminals on the RIGHT side of the power supply output bus, using two 10 X 32 screws and lock washers.

NOTE

Incorrect connection of the +5V (red) and return (black) power cables will result in serious damage to CI78Ø modules.





Figure 9-4 8698/869D Power Controllers - Rear View



TK-844

Figure 9-5 H7100 Power Supply - Front View




Figure 9-6 H7100 Power Supply - Rear View

- 5. Connect P6 on the -5V cable (P/N 7018524-1F) to J6 (unlabeled 15-pin connector) on the power supply.
- 6. Connect Pl on the AC LOW/DC LOW cable (P/N 7014212-0M) to J3 on the power supply.
- 7. Connect the OVER TEMP cable (P/N 7014213-OK) from J4 on the CI780 power supply to J4 on the next option power supply (if present).
- 8. Locate and connect the cabinet harness OVER TEMP cable (P/N 7014213-4A in CPU cabinet, P/N 7016001-4A in H9652 expansion cabinet) to J5 on the power supply.
- 9. Connect P16 (Figure 9-7) on the -5V cable (P/N 7018524-1F) from the power supply to J16 on the backplane.
- 10. Connect P2 on the AC LOW/DC LOW cable (P/N 7014212-0M) from the power supply to J13 on the backplane.
- 11. Locate and connect P3 (plug number may vary depending on the option slot) on the -5V cabinet cable harness (P/N 7015073-0-0 in CPU cabinet, P/N 7015630-00 in H9652 cabinet) to J15 on the backplane.
- 12. Connect six 4" SBI jumper cables (P/N 1700087-00) from J7 through J12 on the CI780 backplane (Figure 9-8) to J1 through J6 on the adjacent backplane to the right of the CI780.

Always connect SBI jumper cables with the "SIGNAL" label on the outside of the loop.

NOTE

If the CI780 is the first option installed in an H9652 cabinet, use the 18" SBI jumper cables (P/N 1700087-03) supplied with the H9652 cabinet.

- 13. Connect six 12-inch SBI jumper cables (P/N 1700087-01) from Jl through J6 on the CI780 backplane to Jl through J6 on the SFT.
- 9.2.6 TX/RX Bulkhead Cable Assemblies Installation
 Two sets of TX/RX bulkhead cable assemblies are supplied with the
 CI780. One set is used for signal path A (P/N 7018527-00), and
 the other set is used for signal path B (P/N 7018527-01). These
 cables should be routed and connected from the back of the
 cabinet.




Figure 9-7 CI780 Power Connection Details




Figure 9-8 CI78Ø Backplane Connectors

- 1. Mount the bulkhead connector plate cable assembly (Figure 9-9 for CPU cabinet installation or Figure 9-10 for expansion cabinet installation) from the inside of the cabinet, to MASSBUS cutouts on the I/O panel at the bottom of the cabinet.
- 2. Secure the TX/RX "A" bulkhead connector plate to the first available cutout on the right side of the panel using four 8 X 32 screws.
- 3. Secure the TX/RX "B" bulkhead connector plate to the next adjacent cutout on the left using four 8 X 32 screws.
- 4. Route the four coaxial cables up through the cabinet cable ways to the backplane.

Avoid sharp bends, kinks, or twists in the cables.

- 5. Place a P-clamp (Figure 9-11) over each cable, just behind the pin plug on the end, and carefully insert the plug into the proper jack on the backplane. Gradually push the cable plug into the jack until it is secured by the detent lock.
 - 1. Transmit B (TB) to J18 on the backplane.
 - 2. Transmit A (TA) to J19 on the backplane.
 - 3. Receive B (RB) to J20 on the backplane.
 - 4. Receive A (RA) to J21 on the backplane.
- 6. Secure the P-clamp on each cable to the plastic cable support with a 10 X 32 screw, washer, and nut.
- 7. Reinstall the exhaust plenum at the back of the cabinet.
- 9.2.7 Jumpers and Switches Configuration
 There are two types of CI780 backplane jumpers: 1) a row_of
 seventeen jumpers on header jack J17 (Figure 9-12) that are used
 to select various hardware options via jumper plugs, and 2) an
 additional wirewrap jumper located on slot 1, row C to connect the
 SBI interface logic to the desired TR arbitration level.

The CI780 is manufactured with backplane jumpers installed and slot C01 pins wirewrapped for a single cluster configuration. This consists of one CI780 installed per VAX-11/780 system, set up as follows:

- 1. SBI TR Arbitration Level 14
- 2. SBI BR Priority Level 4




Figure 9-9 CPU Cabinet Assembly Connection Details




Figure 9-10 Expansion Cabinet Cable Assembly Connection Details




Figure 9-11 CI780 Backplane Cable Assembly Connection Details




Figure 9-12 CI780 Backplane Jumpers (Sheet 1 of 4)

TR ARBITRATION LEVEL (W2, W3, W4, W7 and C01-53 Wirewrap

| W2 | W3 | W7 | W4 | CØ1-53 TO |
|------------|--|--|---|---|
| OUT | OUT | OUT | OUT | CØ1-57 |
| OUT | OUT | IN | OUT | CØ1-63 CØ1-62 |
| OUT | OUT | IN OUT | IN OUT | CØ1-65 CØ1-69 |
| OUT | IN | OUT | IN | CØ1-71 |
| OUT OUT | IN IN | IN IN | IN | CØ1-73 CØ1-75 |
| IN TN | OUT | OUT | OUT TN | CØ1-77 CØ1-81 |
| IN | OUT | IN | OUT | CØ1-83 |
| IN IN | OUT IN | IN OUT | OUT | CØ1-85 CØ1-86 |
| IN IN | IN IN | OUT IN | IN OUT | CØ1-87 CØ1-88 |
| | OUT OUT OUT OUT OUT OUT OUT IN IN IN IN IN IN IN | OUT OUT OUT OUT OUT OUT OUT OUT OUT IN OUT IN OUT IN OUT IN OUT IN IN OUT | OUT OUT OUT OUT OUT OUT OUT OUT IN OUT IN OUT IN OUT OUT IN OUT OUT IN IN OUT IN IN OUT IN IN IN OUT | OUT |

TR NO. \emptyset is reserved as the HOLD line





Figure 9-12 CI780 Backplane Jumpers (Sheet 2 of 4)

PANIC MODE (W8)



BOOT TIMER (W9, W10, W12, W13)

| TIME | (Sec) | W9 | W13 | WlØ | W12 |
|------|-------|-----|-----|-----|-----|
| 15øø | | OUT | OUT | OUT | OUT |
| 1400 | | OUT | OUT | OUT | IN |
| 1300 | | OUT | OUT | IN | OUT |
| 1200 | | OUT | OUT | IN | IN |
| 1100 | | OUT | IN | OUT | OUT |
| 1000 | | OUT | IN | OUT | IN |
| Ø9ØØ | | OUT | IN | IN | OUT |
| Ø8ØØ | | OUT | IN | IN | IN |
| Ø7ØØ | | IN | OUT | OUT | OUT |
| Ø6ØØ | | IN | OUT | OUT | IN |
| Ø5ØØ | | IN | OUT | IN | OUT |
| Ø4ØØ | | IN | OUT | IN | IN |
| Ø3ØØ | | IN | IN | OUT | OUT |
| 0200 | | IN | IN | OUT | IN |
| ØlØØ | | IN | IN | IN | OUT |
| ØØØØ | | IN | IN | IN | IN |

Figure 9-12 CI780 Backplane Jumpers (Sheet 3 of 4)




Figure 9-12 CI780 Backplane Jumpers (Sheet 4 of 4)

- 9.2.7.1 Backplane Jumper Configuration Check -
 - 1. Jumpers W2, W3, and W4 on J17 should be IN. All others should be OUT.
 - 2. Pin C01-53 sould be wirewrapped to pin C01-87.
- 9.2.7.2 Link Module Switches Configuration The Link Interface Module (L0100) switches (Figure 9-13) are used to provide the system with a unique node address within a CI cluster. This address will typically be a number from 0 to 15. A NODE ADDRESS is assigned, each of the two switch packs (S1 and S2) on the Link Module must be set to the binary value of the assigned number.
 - 1. Assign the system a node address.
 - For CI78Ø installations that create a new CI cluster, assign a node address within the range of the number of CI78Øs being installed.
 - For CI780 installations that add a node to an existing CI cluster, determine the highest node address currently in use and assign the next higher sequential number.

Difficult-to-diagnose software failures will occur if two nodes in a cluster are assigned the same address.

- 3. Without removing the Link Module from the CI780 backplane, set S1 and S2 to the assigned node address. The ON (closed) position of each switch represents a logical zero, and the OFF (open) position a logical one.
 - 1. Set S1-1 through S1-8 to the binary value of the assigned node address.
 - 2. Set S2-1 through S2-8 to the binary value of the assigned node address.
 - 3. Install the node address identification label [part of a set (P/N 3619264-17)] at eye level on the outside of the rear door of the cabinet the CI780 was installed in.




Figure 9-13 Link Module Switch Details

9.3 DIAGNOSTICS

Acceptance testing of the CI780 is basically a two-step procedure:

- 1. The newly installed CI780 is operationally verified stand-alone (i.e., not connected to the CI).
- 2. The system is connected to the STAR coupler and operationally verified as a node within the CI cluster.

Stand-alone verification consists of running the system microdiagnostics, which contain CI780 support, followed by the CI780 Level 3 diagnostics ESCGA, ESCGB, ESCGC, ESCGD, EVGAA, EVGAB and UETP.

Operational verification of the system within the CI Cluster consists of:

- 1. Connecting the node to the STAR Coupler and verifying the connection by running the CI Exerciser (named EVXCI) program, under the operating system.
- 2. Running a copy of the User Environment Test Package (UETP) on the node under test.

NOTE

If all of the VAX nodes within a CI cluster are being tested, then UETP must be run on each node.

- 9.3.1 CI780 Check-Out Procedure (Stand-Alone)
 - Power-up the system.
 - 2. Run the VAX-11/780 microdiagnostics.

To determine if the CI780 is functioning properly, the following Level 3 diagnostic programs must be run.

ESCGA - CI780 Repair Level Diagnostic 1
ESCGB - CI780 Repair Level Diagnostic 2
ESCGC - CI780 Repair Level Diagnostic 3
ESCGD - CI780 Repair Level Diagnostic 4
EVGAA - CI780 Functional Diagnostic Part 1
EVGAB - CI780 Functional Diagnostic Part 2

Before loading the diagnostics, make the following connections to the I/O connector panel at the back of the cabinet.

- 1. Using one of the attenuator pads (P/N 1219907-01) and two of the SC008 modularity cables (P/N 7018530-00) supplied in the CI780 CD Kit, connect the "TRANSMIT A" bulkhead connection.
- 2. Perform the same connection for path "B" using the other attenuator pad and two SC008 modularity cables from the CI780 CD Kit. Connect "TRANSMIT B" to "RECEIVE B".

Use the following procedure to load the diagnostic programs into the system.

- 1. Put the VAX-11/780 in a stable, halted condition.
- 2. Initialize and unjam the SBI via console commands:

INIT UNJAM

- 3. Load the diagnostic supervisor, ESSAA.EXE, via the command BOOT (or LOAD ESSAA.EXE/ST:FE00), from the diskette or BOOT it from the system disk.
- Load the diagnostic program by its designation letters, i.e., LOAD ESCGA.
- 5. Attach the device to be tested, i.e.,

DS> ATTACH CI78Ø SBI UNIT# (PAAØ) TR (14) BR (4) NODE (Ø)

6. Select the unit to be tested via the command SELECT (UNIT#), i.e.

DS> SELECT PAAØ

7. Set any desired supervisor flags.

DS> CL ALL
DS> SET Q,T,H

8. Start the diagnostic program.

NOTE

Diagnostics ESCGB and ESCGD contain manual intervention test sections. Run them after the diagnostic has been loaded by typing:

DS> START/SECTION: MANUAL

and performing the required manual actions listed by the diagnostic printout.

When running the diagnostics for the first time after installing the CI780, run them in order from ESCGA through ESCGD and EVGAA through EVGAB, and include the manual intervention test sections. Diagnostics EVGAA and EVGAB require setting of EVENT FLAG #1 on new installations to load test microcode into the CI780 during the start sequence.

- 9. After successfully running the six diagnostics, remove the attenuator pads and modularity cables from the I/O panel bulkhead connectors.
- 10. Connect the CI bus cables (BNCIA-XX) to the bulkhead connectors.
- 11. Connect the two attenuator pads to the ends of the CI cables. Be sure to connect "TRANSMIT A" to "RECEIVE A" and "TRANSMIT B" to "RECEIVE B".
- 12. Run the EXTLOOP section of diagnostic ESCGD five times to test the CI cables prior to routing and connecting them the SC008 by typing:

DS> LOAD ESCGD
DS> START/SECTION:EXTLOOP/PASS:5

13. Remove the attenuator pads and repeat steps 10-12 after the CI bus cables have been routed and connected to the SC008.

NOTE

Section 2.4 of the Start Coupler User's Guide contains the cable routing procedure.

- 9.3.1.5 Run UETP
- 9.3.2 On-Line Testing of the CI780 and the CI Cluster
- **9.3.2.1** Software Installation -- The VAX-11/780 in which the CI780 is installed must be running VAX/VMS Version 3.1 in order to use the CI780. Therefore, the additional software needed to support the CI780 must be installed.

SYE KIT -- An SYE (error log report generator) kit consisting of two floppy diskettes (AS-N761A-BE and AS-N762A-BE) is supplied in the CI780 software box, BX-O3113-TE.

- To install the SYE kit you will need 2000 free blocks on your system disk.
- 2. Log in as the system manager and execute the following DCL commands:
 - \$ SYE DEFAULT SYS\$UPDATE
 - \$ @VMSUPDATE
- Perform the tasks asked by the system.

CI780 MICROCODE -- The CI780 microcode must reside on the console floppy diskette. If it is not there and the CI780 hardware is installed, then you will see the following warning when VMS boots:

%BOOT-W-Unable to find CI ucode file

1. Make sure that the console floppy diskette is in the drive. Type the following commands, which list the names of the files the floppy contains:

\$ RUN SYS\$SYSTEM:FLX FLX> CS1:/RT/LI FLX> CTRL Z

- 2. Look for the file CI78Ø.BIN (36 blocks long). That file contains the CI78Ø microcode. If it is present, then skip the remainder of this procedure. If it is not present, then note the number of free blocks on the console floppy diskette, and proceed to step 3. Steps 3 through 1Ø build a new console floppy that includes both the files present on your current console floppy that are important to your site, and the CI78Ø microcode.
- 3. Copy your present floppy files into a Files-11 disk directory using the command procedure CONSCOPY.COM. Directions for using this command procedure are outlined in Section 6.1 of the VAX-11/78Ø Software Installation Guide.
- 4. Set your default to the Files-11 directory containing the contents of the console floppy diskette copied in step 3. Refer back to the FLX directory obtained of the console floppy in step 1 to see if there are at least 36 free blocks. If not, delete PCS.PAT, which is no longer needed, from the Files-11 directory.
- 5. Remove the console floppy from the drive.
- 6. Insert the console floppy diskette shipped in the CI78Ø software box (AS-T213A-DE).
- 7. Type the following commands, which copy the CI780 microcode file from the new console floppy to your Files-ll directory:

\$ RUN SYS\$SYSTEM:FLX
FLX> /RS/IM=CS1:CI780.BIN/RT
FLX> CTRL Z

- 8. Remove the console floppy from the drive.
- 9. Insert a blank floppy diskette on which to build a new console floppy diskette.

- 10. Copy the files from your Files-11 directory to the blank floppy using the CONSCOPY.COM command procedure. Directions for using this command procedure are outlined in Section 6.1.
- 11. If you want to, you can delete the files in the Files-ll directory and the directory itself.
- 12. If you had to build a new console floppy diskette, shutdown and reboot your system.
- 9.3.2.3 CI Exerciser Program -- Run CI Exerciser program EVXCI per the Installing and Running CI Exerciser Software (AV-T637A-TE) procedure supplied in the CI780 software box for operating instructions.
- 9.3.2.4 UETP -- Run UETP on each VAX node where a CI780 has been installed.

Refer to the VAX/VMS UETP User's Guide (AA-D643C-TE) for operating instructions.